

cd Mar 21-27 1995.log

RCS file: /p/cvsroot/atlas/BOM,v

Working file: atlas/BOM

head: 7.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 7.0

keyword substitution: kv

total revisions: 1799; selected revisions: 11

description:

revision 2.100

date: 1995/03/25 01:28:26; author: wampler; state: Exp; lines: +2 -2

Release Target: atlas/gards/basegen

Added left-right flipped orientations to legal cell positions in
sofacd1.c.template.

revision 2.99

date: 1995/03/25 01:10:46; author: tom; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv/xvff

change xvff to xvffq

revision 2.98

date: 1995/03/25 01:09:20; author: tom; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv/xvffq

change xvff to xvffq

revision 2.97

date: 1995/03/24 23:15:24; author: tom; state: Exp; lines: +2 -2

Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp

revision 2.96

date: 1995/03/24 20:13:53; author: brianl; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv

Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in
schematics for xv17andffq, xv17andlbn and xv17orlan.

revision 2.95

date: 1995/03/23 19:23:47; author: geert; state: Exp; lines: +2 -2

Release Target: atlas/gards/basegen

General GARDS baseplate genearing scripts

Gert

revision 2.94

date: 1995/03/23 00:50:09; author: geert; state: Exp; lines: +2 -2

Release Target: atlas/doc

Release nb array documentation

Geert

revision 2.93

date: 1995/03/22 02:02:40; author: tom; state: Exp; lines: +2 -2

cd Mar 21-27 1995.log

Release Target: atlas/ged

add primitives section

revision 2.92

date: 1995/03/22 01:35:55; author: tom; state: Exp; lines: +2 -2

Release Target: atlas/ged
README

add primitives section

revision 2.91

date: 1995/03/22 00:50:00; author: wampler; state: Exp; lines: +2 -2

Release Target: atlas/compass/layouts
padintvss.ly
padintvdd.ly

Added POBS & OBS1 obstructions over Metal1 geometry in internal vdd/vss pads

revision 2.90

date: 1995/03/21 20:54:09; author: wampler; state: Exp; lines: +2 -2

Release Target: atlas/compass/layouts
sofa_pins.ly

Release of sofa_pins.ly for baseplate model

=====

RCS file: /p/cvsroot/atlas/baseplate/chipparms.m4,v

Working file: atlas/baseplate/chipparms.m4

head: 1.21

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.21

keyword substitution: kv

total revisions: 21; selected revisions: 1

description:

revision 1.13

date: 1995/03/23 02:46:43; author: ong; state: Exp; lines: +19 -7

Changes to place pads, scribe/seal ring

=====

RCS file: /p/cvsroot/atlas/baseplate/padring.awk,v

Working file: atlas/baseplate/padring.awk

head: 1.12

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.12

keyword substitution: kv

total revisions: 12; selected revisions: 1

description:

revision 1.6

date: 1995/03/23 02:46:46; author: ong; state: Exp; lines: +76 -44

Changes to place pads, scribe/seal ring

=====

RCS file: /p/cvsroot/atlas/baseplate/sharedbaseplate.sgen.m4,v

Working file: atlas/baseplate/sharedbaseplate.sgen.m4

cd Mar 21-27 1995.log

head: 1.41
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.41
keyword substitution: kv
total revisions: 41; selected revisions: 2
description:

revision 1.14
date: 1995/03/25 00:01:45; author: ong; state: Exp; lines: +2 -2
Added clockspars to the cutout list

revision 1.13
date: 1995/03/23 02:46:48; author: ong; state: Exp; lines: +8 -4
changes to place pads, scribe/seal ring
=====

RCS file: /p/cvsroot/atlas/compass/BOM,v
working file: atlas/compass/BOM
head: 10.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 10.0
keyword substitution: kv
total revisions: 217; selected revisions: 2
description:
releasebom adding BOM

revision 2.5
date: 1995/03/22 00:49:50; author: wampler; state: Exp; lines: +2 -2
Release Target: atlas/compass/layouts
 padintvss.ly
 padintvdd.ly

Added POBS & OBS1 obstructions over Metal1 geometry in internal vdd/vss pads

revision 2.4
date: 1995/03/21 20:53:58; author: wampler; state: Exp; lines: +2 -2
Release Target: atlas/compass/layouts
 sofa_pins.ly

Release of sofa_pins.ly for baseplate model
=====

RCS file: /p/cvsroot/atlas/compass/layouts/BOM,v
working file: atlas/compass/layouts/BOM
head: 75.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 75.0
keyword substitution: kv
total revisions: 278; selected revisions: 2
description:
releasebom adding BOM

revision 4.2
date: 1995/03/22 00:49:39; author: wampler; state: Exp; lines: +9 -1

cd Mar 21-27 1995.log
Release Target: atlas/compass/layouts
padintvss.ly
padintvdd.ly

Added POBS & OBS1 obstructions over Metal1 geometry in internal vdd/vss pads

revision 4.1
date: 1995/03/21 20:53:46; author: wampler; state: Exp; lines: +5 -1
Release Target: atlas/compass/layouts
sofa_pins.ly

Release of sofa_pins.ly for baseplate model

=====

RCS file: /p/cvsroot/atlas/compass/layouts/atlas.db,v
Working file: atlas/compass/layouts/atlas.db
head: 1.136
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.136
keyword substitution: kv
total revisions: 136; selected revisions: 10
description:

revision 1.33
date: 1995/03/24 23:37:48; author: chip; state: Exp; lines: +36 -36
periodic checkin of Fri Mar 24 15:37:44 PST 1995

revision 1.32
date: 1995/03/24 23:17:18; author: chip; state: Exp; lines: +57 -57
periodic checkin of Fri Mar 24 15:17:15 PST 1995

revision 1.31
date: 1995/03/23 21:57:57; author: chip; state: Exp; lines: +46 -46
periodic checkin of Thu Mar 23 13:57:54 PST 1995

revision 1.30
date: 1995/03/23 17:35:35; author: chip; state: Exp; lines: +27 -27
periodic checkin of Thu Mar 23 09:35:30 PST 1995

revision 1.29
date: 1995/03/23 00:20:05; author: chip; state: Exp; lines: +58 -57
periodic checkin of Wed Mar 22 16:20:02 PST 1995

revision 1.28
date: 1995/03/22 23:40:36; author: chip; state: Exp; lines: +57 -57
periodic checkin of Wed Mar 22 15:40:33 PST 1995

revision 1.27
date: 1995/03/22 22:51:58; author: chip; state: Exp; lines: +16 -15
periodic checkin of Wed Mar 22 14:51:55 PST 1995

revision 1.26
date: 1995/03/22 22:05:24; author: chip; state: Exp; lines: +11 -10
periodic checkin of Wed Mar 22 14:05:21 PST 1995

revision 1.25
date: 1995/03/22 20:31:59; author: chip; state: Exp; lines: +68 -68
periodic checkin of Wed Mar 22 12:31:55 PST 1995

revision 1.24

cd Mar 21-27 1995.log
date: 1995/03/21 22:50:29; author: chip; state: Exp; lines: +63 -59
periodic checkin of Tue Mar 21 14:50:26 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/cabse1.ly,v
working file: atlas/compass/layouts/cabse1.ly
head: 4.19
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.19
keyword substitution: kv
total revisions: 19; selected revisions: 2
description:

revision 4.5
date: 1995/03/23 21:31:23; author: chip; state: Exp; lines: +524 -58
periodic checkin of Thu Mar 23 13:31:15 PST 1995

revision 4.4
date: 1995/03/23 00:55:21; author: chip; state: Exp; lines: +94 -598
periodic checkin of Wed Mar 22 16:55:15 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/cainvc.ly,v
working file: atlas/compass/layouts/cainvc.ly
head: 4.10
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.10
keyword substitution: kv
total revisions: 10; selected revisions: 5
description:

revision 4.7
date: 1995/03/23 21:31:24; author: chip; state: Exp; lines: +46 -52
periodic checkin of Thu Mar 23 13:31:15 PST 1995

revision 4.6
date: 1995/03/23 00:55:22; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 22 16:55:15 PST 1995

revision 4.5
date: 1995/03/22 18:21:38; author: chip; state: Exp; lines: +113 -114
periodic checkin of Wed Mar 22 10:21:34 PST 1995

revision 4.4
date: 1995/03/21 23:47:23; author: chip; state: Exp; lines: +17 -18
periodic checkin of Tue Mar 21 15:47:19 PST 1995

revision 4.3
date: 1995/03/21 22:58:19; author: chip; state: Exp; lines: +119 -106
periodic checkin of Tue Mar 21 14:58:16 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/cardxdec.ly,v
working file: atlas/compass/layouts/cardxdec.ly
head: 4.6
branch:
locks: strict

cd Mar 21-27 1995.log

access list:

symbolic names:

b4_rich: 4.6

keyword substitution: kv

total revisions: 6; selected revisions: 5

description:

revision 4.5

date: 1995/03/23 21:31:26; author: chip; state: Exp; lines: +273 -232
periodic checkin of Thu Mar 23 13:31:15 PST 1995

revision 4.4

date: 1995/03/23 00:55:24; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 22 16:55:15 PST 1995

revision 4.3

date: 1995/03/22 18:21:39; author: chip; state: Exp; lines: +388 -390
periodic checkin of Wed Mar 22 10:21:34 PST 1995

revision 4.2

date: 1995/03/21 23:47:25; author: chip; state: Exp; lines: +165 -104
periodic checkin of Tue Mar 21 15:47:19 PST 1995

revision 4.1

date: 1995/03/21 22:46:50; author: chip; state: Exp;
periodic checkin of Tue Mar 21 14:46:47 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cardxdec2.ly,v

working file: atlas/compass/layouts/cardxdec2.ly

head: 4.5

branch:

locks: strict

access list:

symbolic names:

b4_rich: 4.5

keyword substitution: kv

total revisions: 5; selected revisions: 5

description:

revision 4.5

date: 1995/03/23 21:31:28; author: chip; state: Exp; lines: +115 -72
periodic checkin of Thu Mar 23 13:31:15 PST 1995

revision 4.4

date: 1995/03/23 00:55:26; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 22 16:55:15 PST 1995

revision 4.3

date: 1995/03/22 18:21:41; author: chip; state: Exp; lines: +259 -257
periodic checkin of Wed Mar 22 10:21:34 PST 1995

revision 4.2

date: 1995/03/21 23:47:26; author: chip; state: Exp; lines: +67 -4
periodic checkin of Tue Mar 21 15:47:19 PST 1995

revision 4.1

date: 1995/03/21 22:46:52; author: chip; state: Exp;
periodic checkin of Tue Mar 21 14:46:47 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/carxd1024.ly,v

working file: atlas/compass/layouts/carxd1024.ly

cd Mar 21-27 1995.log

head: 4.12
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.12
keyword substitution: kv
total revisions: 12; selected revisions: 2
description:

revision 4.2
date: 1995/03/23 21:31:30; author: chip; state: Exp; lines: +1107 -8
periodic checkin of Thu Mar 23 13:31:15 PST 1995

revision 4.1
date: 1995/03/23 00:55:28; author: chip; state: Exp;
periodic checkin of Wed Mar 22 16:55:15 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/carxdec64.ly,v
working file: atlas/compass/layouts/carxdec64.ly
head: 4.6
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.6
keyword substitution: kv
total revisions: 6; selected revisions: 3
description:

revision 4.3
date: 1995/03/23 21:31:32; author: chip; state: Exp; lines: +88 -85
periodic checkin of Thu Mar 23 13:31:15 PST 1995

revision 4.2
date: 1995/03/23 00:55:30; author: chip; state: Exp; lines: +160 -161
periodic checkin of Wed Mar 22 16:55:15 PST 1995

revision 4.1
date: 1995/03/22 18:21:42; author: chip; state: Exp;
periodic checkin of Wed Mar 22 10:21:34 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/carxdec8.ly,v
working file: atlas/compass/layouts/carxdec8.ly
head: 4.8
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.8
keyword substitution: kv
total revisions: 8; selected revisions: 4
description:

revision 4.4
date: 1995/03/23 21:31:34; author: chip; state: Exp; lines: +12 -12
periodic checkin of Thu Mar 23 13:31:15 PST 1995

revision 4.3
date: 1995/03/22 18:21:44; author: chip; state: Exp; lines: +71 -12
periodic checkin of Wed Mar 22 10:21:34 PST 1995

cd Mar 21-27 1995.log

revision 4.2
date: 1995/03/21 23:47:27; author: chip; state: Exp; lines: +5 -5
periodic checkin of Tue Mar 21 15:47:19 PST 1995

revision 4.1
date: 1995/03/21 22:46:53; author: chip; state: Exp;
periodic checkin of Tue Mar 21 14:46:47 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/caxhreg.ly,v
working file: atlas/compass/layouts/caxhreg.ly
head: 4.12
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.12
keyword substitution: kv
total revisions: 12; selected revisions: 1
description:

revision 4.1
date: 1995/03/24 23:35:40; author: chip; state: Exp;
periodic checkin of Fri Mar 24 15:35:37 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/caxpre4.ly,v
working file: atlas/compass/layouts/caxpre4.ly
head: 4.6
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.6
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 4.1
date: 1995/03/24 23:35:42; author: chip; state: Exp;
periodic checkin of Fri Mar 24 15:35:37 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/caxpre4s.ly,v
working file: atlas/compass/layouts/caxpre4s.ly
head: 4.7
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.7
keyword substitution: kv
total revisions: 7; selected revisions: 2
description:

revision 4.2
date: 1995/03/24 23:37:50; author: chip; state: Exp; lines: +52 -65
periodic checkin of Fri Mar 24 15:37:44 PST 1995

revision 4.1
date: 1995/03/22 20:32:02; author: chip; state: Exp;
periodic checkin of Wed Mar 22 12:31:55 PST 1995

cd Mar 21-27 1995.log

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/cgtddrv.ly,v
Working file: atlas/compass/layouts/cgtddrv.ly
head: 4.5
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.5
keyword substitution: kv
total revisions: 5;    selected revisions: 2
description:
-----
```

```
revision 4.2
date: 1995/03/22 23:07:09; author: chip; state: Exp; lines: +3 -4
periodic checkin of Wed Mar 22 15:07:06 PST 1995
-----
```

```
revision 4.1
date: 1995/03/21 18:13:16; author: chip; state: Exp;
periodic checkin of Tue Mar 21 10:13:13 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/cgtddrv_2x.ly,v
Working file: atlas/compass/layouts/cgtddrv_2x.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 4.1
date: 1995/03/21 18:10:45; author: chip; state: Exp;
periodic checkin of Tue Mar 21 10:10:41 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/cgtm1col.ly,v
Working file: atlas/compass/layouts/cgtm1col.ly
head: 4.10
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.10
keyword substitution: kv
total revisions: 10;    selected revisions: 4
description:
-----
```

```
revision 4.4
date: 1995/03/22 23:07:11; author: chip; state: Exp; lines: +2 -2
periodic checkin of Wed Mar 22 15:07:06 PST 1995
-----
```

```
revision 4.3
date: 1995/03/22 23:03:07; author: chip; state: Exp; lines: +9 -9
periodic checkin of Wed Mar 22 15:03:03 PST 1995
-----
```

```
revision 4.2
date: 1995/03/22 22:49:56; author: chip; state: Exp; lines: +9 -15
periodic checkin of Wed Mar 22 14:49:53 PST 1995
```

cd Mar 21-27 1995.log

revision 4.1
date: 1995/03/22 21:37:15; author: chip; state: Exp;
periodic checkin of Wed Mar 22 13:37:12 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmatch.ly,v
working file: atlas/compass/layouts/cgtmatch.ly
head: 4.16
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.16
keyword substitution: kv
total revisions: 16; selected revisions: 2
description:

revision 4.6
date: 1995/03/22 23:07:13; author: chip; state: Exp; lines: +4 -5
periodic checkin of Wed Mar 22 15:07:06 PST 1995

revision 4.5
date: 1995/03/21 17:40:37; author: chip; state: Exp; lines: +61 -57
periodic checkin of Tue Mar 21 09:40:30 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmatch_2x2.ly,v
working file: atlas/compass/layouts/cgtmatch_2x2.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/21 18:10:49; author: chip; state: Exp;
periodic checkin of Tue Mar 21 10:10:41 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmpu.ly,v
working file: atlas/compass/layouts/cgtmpu.ly
head: 4.19
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.19
keyword substitution: kv
total revisions: 19; selected revisions: 1
description:

revision 4.1
date: 1995/03/22 23:07:14; author: chip; state: Exp;
periodic checkin of Wed Mar 22 15:07:06 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmsa.ly,v
working file: atlas/compass/layouts/cgtmsa.ly

cd Mar 21-27 1995.log

head: 4.20
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.20
keyword substitution: kv
total revisions: 20; selected revisions: 1
description:

revision 4.1
date: 1995/03/22 23:07:16; author: chip; state: Exp;
periodic checkin of Wed Mar 22 15:07:06 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtsa.ly,v
working file: atlas/compass/layouts/cgtsa.ly
head: 4.11
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.11
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 4.1
date: 1995/03/22 23:07:18; author: chip; state: Exp;
periodic checkin of Wed Mar 22 15:07:06 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtsa_2x.ly,v
working file: atlas/compass/layouts/cgtsa_2x.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/22 23:07:21; author: chip; state: Exp;
periodic checkin of Wed Mar 22 15:07:06 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtvapnff.ly,v
working file: atlas/compass/layouts/cgtvapnff.ly
head: 4.20
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.20
keyword substitution: kv
total revisions: 20; selected revisions: 1
description:

revision 4.1
date: 1995/03/21 18:13:20; author: chip; state: Exp;

cd Mar 21-27 1995.log
periodic checkin of Tue Mar 21 10:13:13 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/cgtvapnff_2x1.ly,v
working file: atlas/compass/layouts/cgtvapnff_2x1.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/21 18:10:52; author: chip; state: Exp;
periodic checkin of Tue Mar 21 10:10:41 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/pad_fillet.ly,v
working file: atlas/compass/layouts/pad_fillet.ly
head: 4.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.2
date: 1995/03/23 19:11:45; author: chip; state: Exp; lines: +7 -8
periodic checkin of Thu Mar 23 11:11:42 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pad_guardring.ly,v
working file: atlas/compass/layouts/pad_guardring.ly
head: 4.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 3
description:

revision 4.7
date: 1995/03/22 23:07:23; author: chip; state: Exp; lines: +2 -2
periodic checkin of Wed Mar 22 15:07:06 PST 1995

revision 4.6
date: 1995/03/22 21:45:09; author: chip; state: Exp; lines: +13 -13
periodic checkin of Wed Mar 22 13:45:06 PST 1995

revision 4.5
date: 1995/03/22 00:12:59; author: chip; state: Exp; lines: +11 -11
periodic checkin of Tue Mar 21 16:12:55 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/pad_hem.ly,v
working file: atlas/compass/layouts/pad_hem.ly

cd Mar 21-27 1995.log

head: 4.17
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.17
keyword substitution: kv
total revisions: 17; selected revisions: 3
description:

revision 4.4
date: 1995/03/23 21:55:59; author: chip; state: Exp; lines: +5 -5
periodic checkin of Thu Mar 23 13:55:55 PST 1995

revision 4.3
date: 1995/03/23 17:35:38; author: chip; state: Exp; lines: +17 -11
periodic checkin of Thu Mar 23 09:35:30 PST 1995

revision 4.2
date: 1995/03/23 00:17:47; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Mar 22 16:17:43 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/pad_hem2.ly,v
working file: atlas/compass/layouts/pad_hem2.ly
head: 4.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 4.3
date: 1995/03/23 01:21:44; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 22 17:21:39 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad_n_static.ly,v
working file: atlas/compass/layouts/pad_n_static.ly
head: 4.15
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.15
keyword substitution: kv
total revisions: 15; selected revisions: 1
description:

revision 4.5
date: 1995/03/24 01:18:04; author: chip; state: Exp; lines: +5 -5
periodic checkin of Thu Mar 23 17:18:00 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad_n_subcell.ly,v
working file: atlas/compass/layouts/pad_n_subcell.ly
head: 4.11
branch:
locks: strict
access list:
symbolic names:

cd Mar 21-27 1995.log

b4_rich: 4.11
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 4.6
date: 1995/03/24 01:08:09; author: chip; state: Exp; lines: +5 -5
periodic checkin of Thu Mar 23 17:08:05 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad_p_static.ly,v
working file: atlas/compass/layouts/pad_p_static.ly
head: 4.11
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.11
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 4.4
date: 1995/03/24 01:18:05; author: chip; state: Exp; lines: +5 -5
periodic checkin of Thu Mar 23 17:18:00 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad_p_subcell.ly,v
working file: atlas/compass/layouts/pad_p_subcell.ly
head: 4.9
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.9
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 4.5
date: 1995/03/24 01:08:12; author: chip; state: Exp; lines: +5 -5
periodic checkin of Thu Mar 23 17:08:05 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad_pwrbusse.ly,v
working file: atlas/compass/layouts/pad_pwrbusse.ly
head: 4.9
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.9
keyword substitution: kv
total revisions: 9; selected revisions: 2
description:

revision 4.2
date: 1995/03/24 00:15:50; author: chip; state: Exp; lines: +2 -2
periodic checkin of Thu Mar 23 16:15:46 PST 1995

revision 4.1
date: 1995/03/23 00:17:50; author: chip; state: Exp;
periodic checkin of Wed Mar 22 16:17:43 PST 1995

cd Mar 21-27 1995.log

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/padbase.ly,v
working file: atlas/compass/layouts/padbase.ly
head: 4.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5;      selected revisions: 5
description:
-----
```

```
revision 4.5
date: 1995/03/24 19:34:25; author: chip; state: Exp; lines: +2 -2
periodic checkin of Fri Mar 24 11:34:21 PST 1995
-----
```

```
revision 4.4
date: 1995/03/24 01:08:13; author: chip; state: Exp; lines: +45 -7
periodic checkin of Thu Mar 23 17:08:05 PST 1995
-----
```

```
revision 4.3
date: 1995/03/23 22:06:51; author: chip; state: Exp; lines: +2 -3
periodic checkin of Thu Mar 23 14:06:48 PST 1995
-----
```

```
revision 4.2
date: 1995/03/23 21:56:00; author: chip; state: Exp; lines: +15 -2
periodic checkin of Thu Mar 23 13:55:55 PST 1995
-----
```

```
revision 4.1
date: 1995/03/23 00:17:53; author: chip; state: Exp;
periodic checkin of Wed Mar 22 16:17:43 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/padbase_signal.ly,v
working file: atlas/compass/layouts/padbase_signal.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
```

```
revision 4.1
date: 1995/03/23 00:17:56; author: chip; state: Exp;
periodic checkin of Wed Mar 22 16:17:43 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/padhib.ly,v
working file: atlas/compass/layouts/padhib.ly
head: 4.34
branch:
locks: strict
access list:
symbolic names:
      b4_rich: 4.34
keyword substitution: kv
total revisions: 34;      selected revisions: 4
description:
-----
```

```
revision 4.13
```

cd Mar 21-27 1995.log
date: 1995/03/24 21:53:38; author: chip; state: Exp; lines: +10 -8
periodic checkin of Fri Mar 24 13:53:34 PST 1995

revision 4.12
date: 1995/03/24 19:34:27; author: chip; state: Exp; lines: +31 -7
periodic checkin of Fri Mar 24 11:34:21 PST 1995

revision 4.11
date: 1995/03/23 19:29:22; author: chip; state: Exp; lines: +13 -16
periodic checkin of Thu Mar 23 11:29:18 PST 1995

revision 4.10
date: 1995/03/23 00:17:58; author: chip; state: Exp; lines: +3 -41
periodic checkin of Wed Mar 22 16:17:43 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/padintvdd.ly,v
working file: atlas/compass/layouts/padintvdd.ly
head: 4.16
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.16
keyword substitution: kv
total revisions: 16; selected revisions: 1
description:

revision 4.6
date: 1995/03/22 00:36:34; author: chip; state: Exp; lines: +6 -2
periodic checkin of Tue Mar 21 16:36:26 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/padintvss.ly,v
working file: atlas/compass/layouts/padintvss.ly
head: 4.17
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.17
keyword substitution: kv
total revisions: 17; selected revisions: 1
description:

revision 4.6
date: 1995/03/22 00:39:09; author: chip; state: Exp; lines: +6 -2
periodic checkin of Tue Mar 21 16:39:06 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/padm3io.ly,v
working file: atlas/compass/layouts/padm3io.ly
head: 4.20
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.20
keyword substitution: kv
total revisions: 20; selected revisions: 4
description:

revision 4.8

cd Mar 21-27 1995.log
date: 1995/03/24 01:08:15; author: chip; state: Exp; lines: +4 -4
periodic checkin of Thu Mar 23 17:08:05 PST 1995

revision 4.7
date: 1995/03/23 23:02:11; author: chip; state: Exp; lines: +5 -5
periodic checkin of Thu Mar 23 15:02:08 PST 1995

revision 4.6
date: 1995/03/23 22:26:54; author: chip; state: Exp; lines: +2 -6
periodic checkin of Thu Mar 23 14:26:51 PST 1995

revision 4.5
date: 1995/03/21 19:46:21; author: chip; state: Exp; lines: +6 -6
periodic checkin of Tue Mar 21 11:46:19 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padttl.ly,v
working file: atlas/compass/layouts/padttl.ly
head: 4.23
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.23
keyword substitution: kv
total revisions: 23; selected revisions: 4
description:

revision 4.12
date: 1995/03/24 21:53:40; author: chip; state: Exp; lines: +39 -13
periodic checkin of Fri Mar 24 13:53:34 PST 1995

revision 4.11
date: 1995/03/23 19:29:25; author: chip; state: Exp; lines: +12 -15
periodic checkin of Thu Mar 23 11:29:18 PST 1995

revision 4.10
date: 1995/03/23 17:35:40; author: chip; state: Exp; lines: +3 -3
periodic checkin of Thu Mar 23 09:35:30 PST 1995

revision 4.9
date: 1995/03/23 00:18:00; author: chip; state: Exp; lines: +3 -41
periodic checkin of Wed Mar 22 16:17:43 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padvdd.ly,v
working file: atlas/compass/layouts/padvdd.ly
head: 2.38
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.38
keyword substitution: kv
total revisions: 38; selected revisions: 5
description:

revision 2.21
date: 1995/03/24 19:34:28; author: chip; state: Exp; lines: +19 -10
periodic checkin of Fri Mar 24 11:34:21 PST 1995

revision 2.20
date: 1995/03/23 21:56:02; author: chip; state: Exp; lines: +4 -4

```
cd Mar 21-27 1995.log
periodic checkin of Thu Mar 23 13:55:55 PST 1995
-----
revision 2.19
date: 1995/03/23 19:09:09; author: chip; state: Exp; lines: +9 -11
periodic checkin of Thu Mar 23 11:09:05 PST 1995
-----
revision 2.18
date: 1995/03/23 17:35:41; author: chip; state: Exp; lines: +2 -2
periodic checkin of Thu Mar 23 09:35:30 PST 1995
-----
revision 2.17
date: 1995/03/23 00:18:02; author: chip; state: Exp; lines: +3 -40
periodic checkin of Wed Mar 22 16:17:43 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/padvss.ly,v
working file: atlas/compass/layouts/padvss.ly
head: 4.31
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.31
keyword substitution: kv
total revisions: 31;    selected revisions: 3
description:
-----
```

```
revision 4.12
date: 1995/03/24 19:34:30; author: chip; state: Exp; lines: +26 -12
periodic checkin of Fri Mar 24 11:34:21 PST 1995
-----
revision 4.11
date: 1995/03/23 21:56:03; author: chip; state: Exp; lines: +17 -16
periodic checkin of Thu Mar 23 13:55:55 PST 1995
-----
revision 4.10
date: 1995/03/23 00:18:04; author: chip; state: Exp; lines: +3 -40
periodic checkin of Wed Mar 22 16:17:43 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/paguardring.ly,v
working file: atlas/compass/layouts/paguardring.ly
head: 4.12
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.12
keyword substitution: kv
total revisions: 12;    selected revisions: 2
description:
-----
```

```
revision 4.2
date: 1995/03/23 22:01:40; author: chip; state: Exp; lines: +2 -2
periodic checkin of Thu Mar 23 14:01:36 PST 1995
-----
revision 4.1
date: 1995/03/22 23:05:06; author: chip; state: Exp;
periodic checkin of Wed Mar 22 15:05:03 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/Attic/paguardring_125u.ly,v
working file: atlas/compass/layouts/paguardring_125u.ly
```

cd Mar 21-27 1995.log

head: 4.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:

revision 4.2
date: 1995/03/22 22:03:34; author: chip; state: Exp; lines: +2 -2
periodic checkin of Wed Mar 22 14:03:31 PST 1995

revision 4.1
date: 1995/03/22 21:45:11; author: chip; state: Exp;
periodic checkin of Wed Mar 22 13:45:06 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/paguardring_161u.ly,v
working file: atlas/compass/layouts/paguardring_161u.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/22 21:45:13; author: chip; state: Exp;
periodic checkin of Wed Mar 22 13:45:06 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/paguardring_305u.ly,v
working file: atlas/compass/layouts/paguardring_305u.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/22 21:45:15; author: chip; state: Exp;
periodic checkin of Wed Mar 22 13:45:06 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pascribeseal_crn.ly,v
working file: atlas/compass/layouts/pascribeseal_crn.ly
head: 4.17
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.17
keyword substitution: kv
total revisions: 17; selected revisions: 4
description:

revision 4.4

cd Mar 21-27 1995.log
date: 1995/03/23 17:06:03; author: chip; state: Exp; lines: +0 -1
periodic checkin of Thu Mar 23 09:05:59 PST 1995

revision 4.3
date: 1995/03/22 23:03:09; author: chip; state: Exp; lines: +5 -8
periodic checkin of Wed Mar 22 15:03:03 PST 1995

revision 4.2
date: 1995/03/22 23:01:01; author: chip; state: Exp; lines: +22 -6
periodic checkin of Wed Mar 22 15:00:57 PST 1995

revision 4.1
date: 1995/03/22 22:49:58; author: chip; state: Exp;
periodic checkin of Wed Mar 22 14:49:53 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pascribeseal_horz.ly,v
working file: atlas/compass/layouts/pascribeseal_horz.ly
head: 4.11
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.11
keyword substitution: kv
total revisions: 11; selected revisions: 3
description:

revision 4.3
date: 1995/03/22 23:46:51; author: chip; state: Exp; lines: +12 -12
periodic checkin of Wed Mar 22 15:46:49 PST 1995

revision 4.2
date: 1995/03/22 23:05:09; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 22 15:05:03 PST 1995

revision 4.1
date: 1995/03/22 22:50:00; author: chip; state: Exp;
periodic checkin of Wed Mar 22 14:49:53 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pascribeseal_vert.ly,v
working file: atlas/compass/layouts/pascribeseal_vert.ly
head: 4.11
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.11
keyword substitution: kv
total revisions: 11; selected revisions: 2
description:

revision 4.2
date: 1995/03/22 23:05:10; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 22 15:05:03 PST 1995

revision 4.1
date: 1995/03/22 22:50:01; author: chip; state: Exp;
periodic checkin of Wed Mar 22 14:49:53 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/sofa_pins.ly,v

cd Mar 21-27 1995.log
Working file: atlas/compass/layouts/sofa_pins.ly

head: 4.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/21 20:52:07; author: chip; state: Exp;
periodic checkin of Tue Mar 21 12:52:04 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/test_column.ly,v

Working file: atlas/compass/layouts/test_column.ly

head: 4.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/21 17:18:45; author: chip; state: Exp;
periodic checkin of Tue Mar 21 09:18:42 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/vlsi.log,v

Working file: atlas/compass/layouts/vlsi.log

head: 1.3654
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.3654
keyword substitution: kv
total revisions: 3654; selected revisions: 104
description:

revision 1.563
date: 1995/03/25 02:13:33; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 18:13:28 PST 1995

revision 1.562
date: 1995/03/25 00:50:01; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 16:49:55 PST 1995

revision 1.561
date: 1995/03/24 23:37:54; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 24 15:37:44 PST 1995

revision 1.560
date: 1995/03/24 23:35:46; author: chip; state: Exp; lines: +4 -0
periodic checkin of Fri Mar 24 15:35:37 PST 1995

revision 1.559
date: 1995/03/24 23:25:44; author: chip; state: Exp; lines: +1 -0

```

cd Mar 21-27 1995.log
periodic checkin of Fri Mar 24 15:25:39 PST 1995
-----
revision 1.558
date: 1995/03/24 23:15:09; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 24 15:15:02 PST 1995
-----
revision 1.557
date: 1995/03/24 22:45:52; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 14:45:46 PST 1995
-----
revision 1.556
date: 1995/03/24 21:53:44; author: chip; state: Exp; lines: +6 -0
periodic checkin of Fri Mar 24 13:53:34 PST 1995
-----
revision 1.555
date: 1995/03/24 19:36:28; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 11:36:22 PST 1995
-----
revision 1.554
date: 1995/03/24 19:34:33; author: chip; state: Exp; lines: +8 -0
periodic checkin of Fri Mar 24 11:34:21 PST 1995
-----
revision 1.553
date: 1995/03/24 19:01:13; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 11:01:08 PST 1995
-----
revision 1.552
date: 1995/03/24 18:48:02; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 10:47:55 PST 1995
-----
revision 1.551
date: 1995/03/24 01:18:09; author: chip; state: Exp; lines: +4 -0
periodic checkin of Thu Mar 23 17:18:00 PST 1995
-----
revision 1.550
date: 1995/03/24 01:16:15; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 17:16:11 PST 1995
-----
revision 1.549
date: 1995/03/24 01:08:19; author: chip; state: Exp; lines: +8 -0
periodic checkin of Thu Mar 23 17:08:05 PST 1995
-----
revision 1.548
date: 1995/03/24 00:55:43; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 16:55:38 PST 1995
-----
revision 1.547
date: 1995/03/24 00:53:53; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 16:53:49 PST 1995
-----
revision 1.546
date: 1995/03/24 00:22:09; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 16:22:03 PST 1995
-----
revision 1.545
date: 1995/03/24 00:15:53; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 16:15:46 PST 1995
-----
revision 1.544
date: 1995/03/24 00:07:48; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 16:07:42 PST 1995
-----
revision 1.543

```

```

                                cd Mar 21-27 1995.log
date: 1995/03/23 23:24:18; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 15:24:12 PST 1995
-----
revision 1.542
date: 1995/03/23 23:09:59; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 15:09:54 PST 1995
-----
revision 1.541
date: 1995/03/23 23:06:27; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 15:06:22 PST 1995
-----
revision 1.540
date: 1995/03/23 23:02:14; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 15:02:08 PST 1995
-----
revision 1.539
date: 1995/03/23 22:28:52; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 14:28:47 PST 1995
-----
revision 1.538
date: 1995/03/23 22:26:57; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 23 14:26:51 PST 1995
-----
revision 1.537
date: 1995/03/23 22:06:55; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 23 14:06:48 PST 1995
-----
revision 1.536
date: 1995/03/23 22:01:43; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 14:01:36 PST 1995
-----
revision 1.535
date: 1995/03/23 21:58:01; author: chip; state: Exp; lines: +5 -0
periodic checkin of Thu Mar 23 13:57:54 PST 1995
-----
revision 1.534
date: 1995/03/23 21:56:06; author: chip; state: Exp; lines: +8 -0
periodic checkin of Thu Mar 23 13:55:55 PST 1995
-----
revision 1.533
date: 1995/03/23 21:34:07; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 13:33:59 PST 1995
-----
revision 1.532
date: 1995/03/23 21:31:39; author: chip; state: Exp; lines: +21 -0
periodic checkin of Thu Mar 23 13:31:15 PST 1995
-----
revision 1.531
date: 1995/03/23 19:29:29; author: chip; state: Exp; lines: +6 -0
periodic checkin of Thu Mar 23 11:29:18 PST 1995
-----
revision 1.530
date: 1995/03/23 19:16:42; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 11:16:37 PST 1995
-----
revision 1.529
date: 1995/03/23 19:11:49; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 11:11:42 PST 1995
-----
revision 1.528
date: 1995/03/23 19:09:13; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 23 11:09:05 PST 1995
-----

```

cd Mar 21-27 1995.log

revision 1.527

date: 1995/03/23 17:58:34; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 09:58:29 PST 1995

revision 1.526

date: 1995/03/23 17:35:45; author: chip; state: Exp; lines: +11 -0
periodic checkin of Thu Mar 23 09:35:30 PST 1995

revision 1.525

date: 1995/03/23 17:06:08; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 09:05:59 PST 1995

revision 1.524

date: 1995/03/23 17:01:05; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 09:00:58 PST 1995

revision 1.523

date: 1995/03/23 01:29:06; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 17:28:58 PST 1995

revision 1.522

date: 1995/03/23 01:21:49; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 22 17:21:39 PST 1995

revision 1.521

date: 1995/03/23 01:19:38; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 17:19:32 PST 1995

revision 1.520

date: 1995/03/23 01:17:35; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 17:17:29 PST 1995

revision 1.519

date: 1995/03/23 01:15:29; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 17:15:23 PST 1995

revision 1.518

date: 1995/03/23 01:11:15; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 17:11:09 PST 1995

revision 1.517

date: 1995/03/23 01:01:03; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 17:00:57 PST 1995

revision 1.516

date: 1995/03/23 00:55:34; author: chip; state: Exp; lines: +21 -0
periodic checkin of Wed Mar 22 16:55:15 PST 1995

revision 1.515

date: 1995/03/23 00:39:02; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 16:38:56 PST 1995

revision 1.514

date: 1995/03/23 00:33:38; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 16:33:32 PST 1995

revision 1.513

date: 1995/03/23 00:28:05; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 16:28:00 PST 1995

revision 1.512

date: 1995/03/23 00:20:10; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 16:20:02 PST 1995

cd Mar 21-27 1995.log

revision 1.511
date: 1995/03/23 00:18:10; author: chip; state: Exp; lines: +19 -0
periodic checkin of Wed Mar 22 16:17:43 PST 1995

revision 1.510
date: 1995/03/23 00:06:20; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 16:06:15 PST 1995

revision 1.509
date: 1995/03/22 23:58:22; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 22 15:58:17 PST 1995

revision 1.508
date: 1995/03/22 23:56:25; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 15:56:21 PST 1995

revision 1.507
date: 1995/03/22 23:46:55; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 22 15:46:49 PST 1995

revision 1.506
date: 1995/03/22 23:44:49; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 15:44:42 PST 1995

revision 1.505
date: 1995/03/22 23:42:31; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 15:42:27 PST 1995

revision 1.504
date: 1995/03/22 23:40:39; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 22 15:40:33 PST 1995

revision 1.503
date: 1995/03/22 23:07:27; author: chip; state: Exp; lines: +21 -0
periodic checkin of Wed Mar 22 15:07:06 PST 1995

revision 1.502
date: 1995/03/22 23:05:13; author: chip; state: Exp; lines: +14 -0
periodic checkin of Wed Mar 22 15:05:03 PST 1995

revision 1.501
date: 1995/03/22 23:03:13; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Mar 22 15:03:03 PST 1995

revision 1.500
date: 1995/03/22 23:01:04; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Mar 22 15:00:57 PST 1995

revision 1.499
date: 1995/03/22 22:53:54; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 14:53:49 PST 1995

revision 1.498
date: 1995/03/22 22:52:02; author: chip; state: Exp; lines: +6 -0
periodic checkin of Wed Mar 22 14:51:55 PST 1995

revision 1.497
date: 1995/03/22 22:50:05; author: chip; state: Exp; lines: +15 -0
periodic checkin of Wed Mar 22 14:49:53 PST 1995

revision 1.496
date: 1995/03/22 22:48:00; author: chip; state: Exp; lines: +3 -0

```

cd Mar 21-27 1995.log
periodic checkin of Wed Mar 22 14:47:55 PST 1995
-----
revision 1.495
date: 1995/03/22 22:23:14; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 14:23:10 PST 1995
-----
revision 1.494
date: 1995/03/22 22:12:14; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 22 14:12:09 PST 1995
-----
revision 1.493
date: 1995/03/22 22:10:24; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 14:10:19 PST 1995
-----
revision 1.492
date: 1995/03/22 22:05:27; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 22 14:05:21 PST 1995
-----
revision 1.491
date: 1995/03/22 22:03:37; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 22 14:03:31 PST 1995
-----
revision 1.490
date: 1995/03/22 21:52:52; author: chip; state: Exp; lines: +18 -0
periodic checkin of Wed Mar 22 13:52:48 PST 1995
-----
revision 1.489
date: 1995/03/22 21:51:02; author: chip; state: Exp; lines: +24 -0
periodic checkin of Wed Mar 22 13:50:58 PST 1995
-----
revision 1.488
date: 1995/03/22 21:49:10; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 13:49:06 PST 1995
-----
revision 1.487
date: 1995/03/22 21:47:20; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 13:47:15 PST 1995
-----
revision 1.486
date: 1995/03/22 21:45:18; author: chip; state: Exp; lines: +8 -0
periodic checkin of Wed Mar 22 13:45:06 PST 1995
-----
revision 1.485
date: 1995/03/22 21:37:18; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 22 13:37:12 PST 1995
-----
revision 1.484
date: 1995/03/22 20:32:07; author: chip; state: Exp; lines: +7 -0
periodic checkin of Wed Mar 22 12:31:55 PST 1995
-----
revision 1.483
date: 1995/03/22 20:29:30; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 12:29:25 PST 1995
-----
revision 1.482
date: 1995/03/22 19:08:33; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 11:08:29 PST 1995
-----
revision 1.481
date: 1995/03/22 18:56:35; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 10:56:29 PST 1995
-----
revision 1.480

```

```

                                cd Mar 21-27 1995.log
date: 1995/03/22 18:21:48; author: chip; state: Exp; lines: +15 -0
periodic checkin of Wed Mar 22 10:21:34 PST 1995
-----
revision 1.479
date: 1995/03/22 18:13:32; author: chip; state: Exp; lines: +11 -0
periodic checkin of Wed Mar 22 10:13:26 PST 1995
-----
revision 1.478
date: 1995/03/22 18:11:00; author: chip; state: Exp; lines: +8 -0
periodic checkin of Wed Mar 22 10:10:55 PST 1995
-----
revision 1.477
date: 1995/03/22 17:45:09; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 09:45:04 PST 1995
-----
revision 1.476
date: 1995/03/22 00:36:42; author: chip; state: Exp; lines: +6 -0
periodic checkin of Tue Mar 21 16:36:26 PST 1995
-----
revision 1.475
date: 1995/03/22 00:24:58; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 21 16:24:53 PST 1995
-----
revision 1.474
date: 1995/03/22 00:15:05; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 21 16:14:59 PST 1995
-----
revision 1.473
date: 1995/03/22 00:13:02; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 16:12:55 PST 1995
-----
revision 1.472
date: 1995/03/21 23:47:30; author: chip; state: Exp; lines: +12 -0
periodic checkin of Tue Mar 21 15:47:19 PST 1995
-----
revision 1.471
date: 1995/03/21 23:04:47; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 21 15:04:42 PST 1995
-----
revision 1.470
date: 1995/03/21 22:58:22; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 14:58:16 PST 1995
-----
revision 1.469
date: 1995/03/21 22:50:32; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 14:50:26 PST 1995
-----
revision 1.468
date: 1995/03/21 22:48:41; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 21 14:48:37 PST 1995
-----
revision 1.467
date: 1995/03/21 22:46:56; author: chip; state: Exp; lines: +9 -0
periodic checkin of Tue Mar 21 14:46:47 PST 1995
-----
revision 1.466
date: 1995/03/21 20:52:10; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 12:52:04 PST 1995
-----
revision 1.465
date: 1995/03/21 19:46:24; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 11:46:19 PST 1995
-----

```

cd Mar 21-27 1995.log

revision 1.464

date: 1995/03/21 19:42:25; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 21 11:42:19 PST 1995

revision 1.463

date: 1995/03/21 18:13:24; author: chip; state: Exp; lines: +9 -0
periodic checkin of Tue Mar 21 10:13:13 PST 1995

revision 1.462

date: 1995/03/21 18:10:56; author: chip; state: Exp; lines: +8 -0
periodic checkin of Tue Mar 21 10:10:41 PST 1995

revision 1.461

date: 1995/03/21 17:40:42; author: chip; state: Exp; lines: +3 -0
periodic checkin of Tue Mar 21 09:40:30 PST 1995

revision 1.460

date: 1995/03/21 17:18:48; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 09:18:42 PST 1995

=====

RCS file: /p/cvsroot/atlas/dcell/Makefile,v

working file: atlas/dcell/Makefile

head: 1.9

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.9

keyword substitution: kv

total revisions: 9; selected revisions: 1

description:

revision 1.2

date: 1995/03/25 00:00:18; author: ong; state: Exp; lines: +2 -2
New dcells for floorplan. They are estimates only.

=====

RCS file: /p/cvsroot/atlas/dcell/cache.dcell,v

working file: atlas/dcell/cache.dcell

head: 1.6

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.6

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

revision 1.5

date: 1995/03/25 00:00:21; author: ong; state: Exp; lines: +5 -7
New dcells for floorplan. They are estimates only.

=====

RCS file: /p/cvsroot/atlas/dcell/custom-list,v

working file: atlas/dcell/custom-list

head: 1.15

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.15

cd Mar 21-27 1995.log

keyword substitution: kv

total revisions: 15; selected revisions: 1

description:

revision 1.2

date: 1995/03/25 00:00:23; author: ong; state: Exp; lines: +2 -2

New dcells for floorplan. They are estimates only.

=====

RCS file: /p/cvsroot/atlas/dcell/Attic/iobyte.dcell,v

working file: atlas/dcell/iobyte.dcell

head: 2.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 2.1

date: 1995/03/25 00:00:26; author: ong; state: Exp;

New dcells for floorplan. They are estimates only.

=====

RCS file: /p/cvsroot/atlas/dcell/Attic/regfile.dcell,v

working file: atlas/dcell/regfile.dcell

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 2.1

date: 1995/03/25 00:00:28; author: ong; state: Exp;

New dcells for floorplan. They are estimates only.

=====

RCS file: /p/cvsroot/atlas/dcell/Attic/tag.dcell,v

working file: atlas/dcell/tag.dcell

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 2.1

date: 1995/03/25 00:00:31; author: ong; state: Exp;

New dcells for floorplan. They are estimates only.

=====

RCS file: /p/cvsroot/atlas/dcell/Attic/tlb.dcell,v

working file: atlas/dcell/tlb.dcell

head: 2.1

branch:

locks: strict

access list:

cd Mar 21-27 1995.log

symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 2.1
date: 1995/03/25 00:00:34; author: ong; state: Exp;
New dcels for floorplan. They are estimates only.
=====

RCS file: /p/cvsroot/atlas/doc/BOM,v
working file: atlas/doc/BOM
head: 37.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 37.0
keyword substitution: kv
total revisions: 83; selected revisions: 2
description:
releasebom adding BOM

revision 30.0
date: 1995/03/23 00:49:56; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

Release nb array documentation

Geert

revision 29.3
date: 1995/03/23 00:49:48; author: geert; state: Exp; lines: +2 -1
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/doc/nbbuf.ht,v
working file: atlas/doc/nbbuf.ht
head: 29.1
branch:
locks: strict
access list:
symbolic names:
b4_rich: 29.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 29.1
date: 1995/03/23 00:42:24; author: geert; state: Exp;
Nb buffer specifications

Geert

=====

RCS file: /p/cvsroot/atlas/gards/BOM,v
working file: atlas/gards/BOM
head: 37.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 37.0

cd Mar 21-27 1995.log

keyword substitution: kv

total revisions: 88; selected revisions: 2

description:

revision 2.5

date: 1995/03/25 01:28:17; author: wampler; state: Exp; lines: +2 -2

Release Target: atlas/gards/basegen

Added left-right flipped orientations to legal cell positions in
sofacdl.c.template.

revision 2.4

date: 1995/03/23 19:23:37; author: geert; state: Exp; lines: +2 -2

Release Target: atlas/gards/basegen

General GARDS baseplate genearing scripts

Gert

=====

RCS file: /p/cvsroot/atlas/gards/Makefile,v

working file: atlas/gards/Makefile

head: 1.5

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.5

keyword substitution: kv

total revisions: 5; selected revisions: 1

description:

revision 1.2

date: 1995/03/22 00:54:58; author: wampler; state: Exp; lines: +2 -2

Makefile:

Removed ged/sc/sc-list & exlast/list from SOFA_LIST definition

Makefile.chipbase

Commented out sofa_captiles copy into gards/sofa. Irrelevant for cronus?

=====

RCS file: /p/cvsroot/atlas/gards/Makefile.chipbase,v

working file: atlas/gards/Makefile.chipbase

head: 1.10

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.10

keyword substitution: kv

total revisions: 10; selected revisions: 1

description:

revision 1.2

date: 1995/03/22 00:55:00; author: wampler; state: Exp; lines: +6 -6

Makefile:

Removed ged/sc/sc-list & exlast/list from SOFA_LIST definition

Makefile.chipbase

Commented out sofa_captiles copy into gards/sofa. Irrelevant for cronus?

=====

RCS file: /p/cvsroot/atlas/gards/basegen/BOM,v

working file: atlas/gards/basegen/BOM

head: 31.0

cd Mar 21-27 1995.log

branch:
locks: strict
access list:
symbolic names:
 b4_rich: 31.0
keyword substitution: kv
total revisions: 60; selected revisions: 4
description:
releasebom adding BOM

revision 7.0
date: 1995/03/25 01:28:07; author: wampler; state: Exp; lines: +1 -1
Release Target: atlas/gards/basegen

Added left-right flipped orientations to legal cell positions in
sofacd1.c.template.

revision 6.1
date: 1995/03/25 01:28:01; author: wampler; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r

revision 6.0
date: 1995/03/23 19:23:26; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/gards/basegen

General GARDS baseplate generating scripts

Gert

revision 5.1
date: 1995/03/23 19:23:18; author: geert; state: Exp; lines: +4 -4
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/gards/basegen/basecompile,v
Working file: atlas/gards/basegen/basecompile
head: 1.5
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.5
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.2
date: 1995/03/22 00:52:28; author: wampler; state: Exp; lines: +2 -2
basecompile: fixed global pin handling
flat.sel: added power pads etc.
sofa_model.ly.template: updated locations of 3 global pins vss, vdd, phi_am

=====

RCS file: /p/cvsroot/atlas/gards/basegen/flat.sel,v
Working file: atlas/gards/basegen/flat.sel
head: 1.12
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.12
keyword substitution: kv
total revisions: 12; selected revisions: 1

cd Mar 21-27 1995.log

description:

revision 1.2
date: 1995/03/22 00:52:30; author: wampler; state: Exp; lines: +9 -4
basecompile: fixed global pin handling
flat.sel: added power pads etc.
sofa_model.ly.template: updated locations of 3 global pins vss, vdd, phi_am
=====

RCS file: /p/cvsroot/atlas/gards/basegen/sofa_model.ly.template,v
working file: atlas/gards/basegen/sofa_model.ly.template
head: 1.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.2
date: 1995/03/22 00:52:32; author: wampler; state: Exp; lines: +4 -4
basecompile: fixed global pin handling
flat.sel: added power pads etc.
sofa_model.ly.template: updated locations of 3 global pins vss, vdd, phi_am
=====

RCS file: /p/cvsroot/atlas/gards/basegen/sofacd1.c.template,v
working file: atlas/gards/basegen/sofacd1.c.template
head: 1.8
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.8
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 1.4
date: 1995/03/25 01:27:18; author: wampler; state: Exp; lines: +24 -1
Added left-right flipped orientations to legal cell positions in
sofacd1.c.template.
=====

RCS file: /p/cvsroot/atlas/ged/BOM,v
working file: atlas/ged/BOM
head: 22.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 22.0
keyword substitution: kv
total revisions: 654; selected revisions: 7
description:

revision 6.4
date: 1995/03/25 01:10:36; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xvff

change xvff to xvffq

cd Mar 21-27 1995.log

revision 6.3

date: 1995/03/25 01:09:10; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xvffq

change xvff to xvffq

revision 6.2

date: 1995/03/24 23:15:15; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp

revision 6.1

date: 1995/03/24 20:13:42; author: brianl; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in
schematics for xv17andffq, xv17andlbn and xv17orlan.

revision 6.0

date: 1995/03/22 02:02:28; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged

add primitives section

revision 5.6

date: 1995/03/22 02:02:21; author: tom; state: Exp; lines: +2 -1
releasebom: File needs to be up-to-date to use commit -r

revision 5.5

date: 1995/03/22 01:35:46; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged
README

add primitives section
=====

RCS file: /p/cvsroot/atlas/ged/README,v

Working file: atlas/ged/README

head: 1.17

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.17

keyword substitution: kv

total revisions: 17; selected revisions: 1

description:

revision 1.4

date: 1995/03/22 01:35:31; author: tom; state: Exp; lines: +3 -1
add primitives section
=====

RCS file: /p/cvsroot/atlas/ged/devices/BOM,v

Working file: atlas/ged/devices/BOM

head: 3.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 3.0

cd Mar 21-27 1995.log

keyword substitution: kv
total revisions: 4; selected revisions: 2
description:
releasebom adding BOM

revision 3.0
date: 1995/03/24 23:15:04; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp

revision 2.1
date: 1995/03/24 23:14:54; author: tom; state: Exp; lines: +5 -1
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/devices/rdiff/BOM,v
Working file: atlas/ged/devices/rdiff/BOM
head: 2.0
branch:
locks: strict
access list:
symbolic names:

b4_rich: 2.0
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/24 23:13:37; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp

revision 1.1
date: 1995/03/24 23:13:29; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/devices/rdiff/body.1.1,v
Working file: atlas/ged/devices/rdiff/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:

b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:07:41; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas/ged/devices/rdiff/chips_prt,v
Working file: atlas/ged/devices/rdiff/chips_prt
head: 1.1
branch:
locks: strict
access list:

cd Mar 21-27 1995.log

symbolic names:

b4_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/03/24 23:07:44; author: tom; state: Exp;

add rdiff, rdiffs, rnw, and spnp

=====

RCS file: /p/cvsroot/atlas/ged/devices/rdiff/part.1.1,v

Working file: atlas/ged/devices/rdiff/part.1.1

head: 1.1

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/03/24 23:07:47; author: tom; state: Exp;

add rdiff, rdiffs, rnw, and spnp

=====

RCS file: /p/cvsroot/atlas/ged/devices/rdiff/part_cn.1.1,v

Working file: atlas/ged/devices/rdiff/part_cn.1.1

head: 1.1

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/03/24 23:07:50; author: tom; state: Exp;

add rdiff, rdiffs, rnw, and spnp

=====

RCS file: /p/cvsroot/atlas/ged/devices/rdiff/subckt,v

Working file: atlas/ged/devices/rdiff/subckt

head: 1.1

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/03/24 23:07:53; author: tom; state: Exp;

add rdiff, rdiffs, rnw, and spnp

=====

RCS file: /p/cvsroot/atlas/ged/devices/rdiffs/BOM,v

```
cd Mar 21-27 1995.log
Working file: atlas/ged/devices/rdiffs/BOM
head: 2.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 2.0
keyword substitution: kv
total revisions: 2;    selected revisions: 2
description:
releasebom adding BOM
-----
revision 2.0
date: 1995/03/24 23:13:55; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/devices
```

add rdiff, rdiffs, rnw, and spnp

```
-----
revision 1.1
date: 1995/03/24 23:13:48; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas/ged/devices/rdiffs/body.1.1,v
Working file: atlas/ged/devices/rdiffs/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/24 23:08:06; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====
```

```
RCS file: /p/cvsroot/atlas/ged/devices/rdiffs/chips_prt,v
Working file: atlas/ged/devices/rdiffs/chips_prt
head: 1.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/24 23:08:09; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====
```

```
RCS file: /p/cvsroot/atlas/ged/devices/rdiffs/part.1.1,v
Working file: atlas/ged/devices/rdiffs/part.1.1
head: 1.1
branch:
locks: strict
access list:
```

cd Mar 21-27 1995.log

symbolic names:

b4_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/03/24 23:08:12; author: tom; state: Exp;

add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas/ged/devices/rdiffs/part_cn.1.1,v

working file: atlas/ged/devices/rdiffs/part_cn.1.1

head: 1.1

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/03/24 23:08:15; author: tom; state: Exp;

add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas/ged/devices/rdiffs/subckt,v

working file: atlas/ged/devices/rdiffs/subckt

head: 1.1

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/03/24 23:08:19; author: tom; state: Exp;

add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas/ged/devices/rnw/BOM,v

working file: atlas/ged/devices/rnw/BOM

head: 2.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 2.0

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

releasebom adding BOM

revision 2.0

date: 1995/03/24 23:14:15; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp

cd Mar 21-27 1995.log

revision 1.1
date: 1995/03/24 23:14:07; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/devices/rnw/body.1.1,v
Working file: atlas/ged/devices/rnw/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:25; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas/ged/devices/rnw/chips_prt,v
Working file: atlas/ged/devices/rnw/chips_prt
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:28; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas/ged/devices/rnw/part.1.1,v
Working file: atlas/ged/devices/rnw/part.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:31; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas/ged/devices/rnw/part_cn.1.1,v
Working file: atlas/ged/devices/rnw/part_cn.1.1
head: 1.1
branch:
locks: strict
access list:

cd Mar 21-27 1995.log

symbolic names:

b4_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/03/24 23:08:33; author: tom; state: Exp;

add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas/ged/devices/rnw/subckt,v

Working file: atlas/ged/devices/rnw/subckt

head: 1.1

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/03/24 23:08:36; author: tom; state: Exp;

add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas/ged/devices/spnp/BOM,v

Working file: atlas/ged/devices/spnp/BOM

head: 2.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 2.0

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

releasebom adding BOM

revision 2.0

date: 1995/03/24 23:14:37; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp

revision 1.1

date: 1995/03/24 23:14:29; author: tom; state: Exp;

releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/devices/spnp/body.1.1,v

Working file: atlas/ged/devices/spnp/body.1.1

head: 1.1

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

cd Mar 21-27 1995.log

revision 1.1
date: 1995/03/24 23:08:40; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas/ged/devices/spnp/chips_prt,v
Working file: atlas/ged/devices/spnp/chips_prt
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:42; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas/ged/devices/spnp/part.1.1,v
Working file: atlas/ged/devices/spnp/part.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:45; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas/ged/devices/spnp/part_cn.1.1,v
Working file: atlas/ged/devices/spnp/part_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:48; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas/ged/devices/spnp/subckt,v
Working file: atlas/ged/devices/spnp/subckt
head: 1.1
branch:
locks: strict
access list:

cd Mar 21-27 1995.log

symbolic names:

b4_rich: 1.1

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 1.1

date: 1995/03/24 23:08:50; author: tom; state: Exp;

add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas/ged/primitives/BOM,v

working file: atlas/ged/primitives/BOM

head: 4.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 4.0

keyword substitution: kv

total revisions: 9; selected revisions: 2

description:

releasebom adding BOM

revision 2.0

date: 1995/03/22 01:53:53; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/ged

add primitives section

revision 1.1

date: 1995/03/22 01:53:45; author: tom; state: Exp;

releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/primitives/invc/BOM,v

working file: atlas/ged/primitives/invc/BOM

head: 2.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 2.0

keyword substitution: kv

total revisions: 2; selected revisions: 2

description:

releasebom adding BOM

revision 2.0

date: 1995/03/22 01:51:42; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/ged

add primitives section

revision 1.1

date: 1995/03/22 01:51:33; author: tom; state: Exp;

releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/primitives/invc/body.1.1,v

working file: atlas/ged/primitives/invc/body.1.1

head: 1.1

branch:

cd Mar 21-27 1995.log

locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:33:41; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas/ged/primitives/invc/spice.1.1,v
working file: atlas/ged/primitives/invc/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:33:42; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas/ged/primitives/invc/spice_cn.1.1,v
working file: atlas/ged/primitives/invc/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:33:44; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nand2c/BOM,v
working file: atlas/ged/primitives/nand2c/BOM
head: 2.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.0
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/22 01:52:07; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged

cd Mar 21-27 1995.log

add primitives section

revision 1.1
date: 1995/03/22 01:51:59; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nand2c/body.1.1,v
working file: atlas/ged/primitives/nand2c/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:33:47; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nand2c/spice.1.1,v
working file: atlas/ged/primitives/nand2c/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:33:49; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nand2c/spice_cn.1.1,v
working file: atlas/ged/primitives/nand2c/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:33:50; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nand3c/BOM,v
working file: atlas/ged/primitives/nand3c/BOM
head: 2.0
branch:

cd Mar 21-27 1995.log

locks: strict
access list:
symbolic names:

 b4_rich: 2.0
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/22 01:52:32; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged

add primitives section

revision 1.1
date: 1995/03/22 01:52:21; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/primitives/nand3c/body.1.1,v
Working file: atlas/ged/primitives/nand3c/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:33:53; author: tom; state: Exp;
importing simple cmos structures from proteus

=====

RCS file: /p/cvsroot/atlas/ged/primitives/nand3c/spice.1.1,v
Working file: atlas/ged/primitives/nand3c/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:33:55; author: tom; state: Exp;
importing simple cmos structures from proteus

=====

RCS file: /p/cvsroot/atlas/ged/primitives/nand3c/spice_cn.1.1,v
Working file: atlas/ged/primitives/nand3c/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv

cd Mar 21-27 1995.log
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:33:56; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nand4c/BOM,v
working file: atlas/ged/primitives/nand4c/BOM
head: 2.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 2.0
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/22 01:52:52; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged

add primitives section

revision 1.1
date: 1995/03/22 01:52:44; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nand4c/body.1.1,v
working file: atlas/ged/primitives/nand4c/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:34:00; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nand4c/spice.1.1,v
working file: atlas/ged/primitives/nand4c/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:34:01; author: tom; state: Exp;

cd Mar 21-27 1995.log
importing simple cmos structures from proteus

RCS file: /p/cvsroot/atlas/ged/primitives/nand4c/spice_cn.1.1,v
Working file: atlas/ged/primitives/nand4c/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:34:03; author: tom; state: Exp;
importing simple cmos structures from proteus

RCS file: /p/cvsroot/atlas/ged/primitives/nor2c/BOM,v
Working file: atlas/ged/primitives/nor2c/BOM
head: 2.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.0
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/22 01:53:13; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged

add primitives section

revision 1.1
date: 1995/03/22 01:53:04; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas/ged/primitives/nor2c/body.1.1,v
Working file: atlas/ged/primitives/nor2c/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:34:05; author: tom; state: Exp;
importing simple cmos structures from proteus

RCS file: /p/cvsroot/atlas/ged/primitives/nor2c/spice.1.1,v
Working file: atlas/ged/primitives/nor2c/spice.1.1

cd Mar 21-27 1995.log

head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:34:07; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nor2c/spice_cn.1.1,v
working file: atlas/ged/primitives/nor2c/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:34:08; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nor3c/BOM,v
working file: atlas/ged/primitives/nor3c/BOM
head: 2.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.0
keyword substitution: kv
total revisions: 2; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/22 01:53:32; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged

add primitives section

revision 1.1
date: 1995/03/22 01:53:24; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nor3c/body.1.1,v
working file: atlas/ged/primitives/nor3c/body.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:

cd Mar 21-27 1995.log

b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:34:12; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nor3c/spice.1.1,v
Working file: atlas/ged/primitives/nor3c/spice.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:34:13; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas/ged/primitives/nor3c/spice_cn.1.1,v
Working file: atlas/ged/primitives/nor3c/spice_cn.1.1
head: 1.1
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:34:15; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas/ged/xv/BOM,v
Working file: atlas/ged/xv/BOM
head: 33.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 33.0
keyword substitution: kv
total revisions: 102; selected revisions: 4
description:
releasebom adding BOM

revision 14.2
date: 1995/03/25 01:10:23; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xvff

change xvff to xvffq

cd Mar 21-27 1995.log

revision 14.1

date: 1995/03/25 01:09:02; author: tom; state: Exp; lines: +5 -1
Release Target: atlas/ged/xv/xvffq

change xvff to xvffq

revision 14.0

date: 1995/03/24 20:13:29; author: brianl; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in
schematics for xv17andffq, xv17andlbn and xv17orlan.

revision 13.1

date: 1995/03/24 20:13:22; author: brianl; state: Exp; lines: +4 -4
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17andffq/BOM,v

working file: atlas/ged/xv/xv17andffq/BOM

head: 9.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 9.0

keyword substitution: kv

total revisions: 16; selected revisions: 2

description:

releasebom adding BOM

revision 3.0

date: 1995/03/24 20:08:47; author: brianl; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in
schematics for xv17andffq, xv17andlbn and xv17orlan.

revision 2.1

date: 1995/03/24 20:08:38; author: brianl; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17andffq/spice.1.1,v

working file: atlas/ged/xv/xv17andffq/spice.1.1

head: 1.8

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.8

keyword substitution: kv

total revisions: 8; selected revisions: 1

description:

revision 1.2

date: 1995/03/24 19:45:39; author: brianl; state: Exp; lines: +2 -2

Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in
schematics for xv17andffq, xv17andlbn and xv17orlan.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17andffq/spice_cn.1.1,v

working file: atlas/ged/xv/xv17andffq/spice_cn.1.1

cd Mar 21-27 1995.log

head: 1.8
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.8
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 1.2
date: 1995/03/24 19:58:16; author: brianl; state: Exp; lines: +2 -2
Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in
spice_cn.1.1 files for xv17andffq, xv17andlbn and xv17orlan.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17andlbn/BOM,v
working file: atlas/ged/xv/xv17andlbn/BOM
head: 9.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 9.0
keyword substitution: kv
total revisions: 16; selected revisions: 2
description:
releasebom adding BOM

revision 3.0
date: 1995/03/24 20:09:06; author: brianl; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in
schematics for xv17andffq, xv17andlbn and xv17orlan.

revision 2.1
date: 1995/03/24 20:09:00; author: brianl; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17andlbn/spice.1.1,v
working file: atlas/ged/xv/xv17andlbn/spice.1.1
head: 1.8
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.8
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 1.2
date: 1995/03/24 19:45:44; author: brianl; state: Exp; lines: +2 -2
Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in
schematics for xv17andffq, xv17andlbn and xv17orlan.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17andlbn/spice_cn.1.1,v
working file: atlas/ged/xv/xv17andlbn/spice_cn.1.1
head: 1.8
branch:

cd Mar 21-27 1995.log

locks: strict
access list:
symbolic names:
 b4_rich: 1.8
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 1.2
date: 1995/03/24 19:58:20; author: brianl; state: Exp; lines: +2 -2
Changed xvdla and xvd1b references to xvdlaq and xvd1bq, respectively, in
spice_cn.1.1 files for xv17andffq, xv17and1bn and xv17or1an.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17or1an/BOM,v
working file: atlas/ged/xv/xv17or1an/BOM
head: 11.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 11.0
keyword substitution: kv
total revisions: 20; selected revisions: 2
description:
releasebom adding BOM

revision 3.0
date: 1995/03/24 20:09:39; author: brianl; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed xvdla and xvd1b references to xvdlaq and xvd1bq, respectively, in
schematics for xv17andffq, xv17and1bn and xv17or1an.

revision 2.1
date: 1995/03/24 20:09:32; author: brianl; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17or1an/spice.1.1,v
working file: atlas/ged/xv/xv17or1an/spice.1.1
head: 1.10
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.10
keyword substitution: kv
total revisions: 10; selected revisions: 1
description:

revision 1.2
date: 1995/03/24 19:45:47; author: brianl; state: Exp; lines: +2 -2
Changed xvdla and xvd1b references to xvdlaq and xvd1bq, respectively, in
schematics for xv17andffq, xv17and1bn and xv17or1an.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17or1an/spice_cn.1.1,v
working file: atlas/ged/xv/xv17or1an/spice_cn.1.1
head: 1.10
branch:
locks: strict
access list:

cd Mar 21-27 1995.log

symbolic names:

b4_rich: 1.10

keyword substitution: kv

total revisions: 10; selected revisions: 1

description:

revision 1.2

date: 1995/03/24 19:58:22; author: brianl; state: Exp; lines: +2 -2

Changed xvdla and xvd1b references to xvdlaq and xvd1bq, respectively, in
spice_cn.1.1 files for xv17andffq, xv17and1bn and xv17orlan.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffq/BOM,v

working file: atlas/ged/xv/xvffq/BOM

head: 6.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 6.0

keyword substitution: kv

total revisions: 10; selected revisions: 2

description:

releasebom adding BOM

revision 2.0

date: 1995/03/25 01:08:53; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv/xvffq

change xvff to xvffq

revision 1.1

date: 1995/03/25 01:08:45; author: tom; state: Exp;

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffq/body.1.1,v

working file: atlas/ged/xv/xvffq/body.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.1

date: 1995/03/25 01:08:15; author: tom; state: Exp;

change xvff to xvffq

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffq/body.2.1,v

working file: atlas/ged/xv/xvffq/body.2.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

cd Mar 21-27 1995.log

description:

revision 1.1
date: 1995/03/25 01:08:17; author: tom; state: Exp;
change xvff to xvffq
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffq/spice.1.1,v
working file: atlas/ged/xv/xvffq/spice.1.1
head: 1.5
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.5
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1
date: 1995/03/25 01:08:19; author: tom; state: Exp;
change xvff to xvffq
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffq/spice_cn.1.1,v
working file: atlas/ged/xv/xvffq/spice_cn.1.1
head: 1.5
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.5
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1
date: 1995/03/25 01:08:21; author: tom; state: Exp;
change xvff to xvffq
=====

RCS file: /p/cvsroot/atlas2/BOM,v
working file: atlas2/BOM
head: 201.2755
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 201.2700
keyword substitution: kv
total revisions: 4418; selected revisions: 11
description:

revision 2.100
date: 1995/03/25 01:28:26; author: wampler; state: Exp; lines: +2 -2
Release Target: atlas/gards/basegen

Added left-right flipped orientations to legal cell positions in
sofacd1.c.template.

revision 2.99
date: 1995/03/25 01:10:46; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xvff

cd Mar 21-27 1995.log

change xvff to xvffq

revision 2.98

date: 1995/03/25 01:09:20; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xvffq

change xvff to xvffq

revision 2.97

date: 1995/03/24 23:15:24; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp

revision 2.96

date: 1995/03/24 20:13:53; author: brianl; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in
schematics for xv17andffq, xv17andlbn and xv17orlan.

revision 2.95

date: 1995/03/23 19:23:47; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/gards/basegen

General GARDS baseplate genearing scripts

Gert

revision 2.94

date: 1995/03/23 00:50:09; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/doc

Release nb array documentation

Geert

revision 2.93

date: 1995/03/22 02:02:40; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged

add primitives section

revision 2.92

date: 1995/03/22 01:35:55; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged
README

add primitives section

revision 2.91

date: 1995/03/22 00:50:00; author: wampler; state: Exp; lines: +2 -2
Release Target: atlas/compass/layouts
padintvss.ly
padintvdd.ly

Added POBS & OBS1 obstructions over Metall geometry in internal vdd/vss pads

revision 2.90

date: 1995/03/21 20:54:09; author: wampler; state: Exp; lines: +2 -2
Release Target: atlas/compass/layouts
sofa_pins.ly

cd Mar 21-27 1995.log

Release of sofa_pins.ly for baseplate model

RCS file: /p/cvsroot/atlas2/baseplate/chipparms.m4,v
Working file: atlas2/baseplate/chipparms.m4
head: 200.13
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.13
keyword substitution: kv
total revisions: 35; selected revisions: 1
description:

revision 1.13
date: 1995/03/23 02:46:43; author: ong; state: Exp; lines: +19 -7
Changes to place pads, scribe/seal ring

RCS file: /p/cvsroot/atlas2/baseplate/padring.awk,v
Working file: atlas2/baseplate/padring.awk
head: 200.11
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.11
keyword substitution: kv
total revisions: 24; selected revisions: 1
description:

revision 1.6
date: 1995/03/23 02:46:46; author: ong; state: Exp; lines: +76 -44
Changes to place pads, scribe/seal ring

RCS file: /p/cvsroot/atlas2/baseplate/Attic/sharedbaseplate.sgen.m4,v
Working file: atlas2/baseplate/sharedbaseplate.sgen.m4
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 42; selected revisions: 2
description:

revision 1.14
date: 1995/03/25 00:01:45; author: ong; state: Exp; lines: +2 -2
Added clockspars to the cutout list

revision 1.13
date: 1995/03/23 02:46:48; author: ong; state: Exp; lines: +8 -4
Changes to place pads, scribe/seal ring

RCS file: /p/cvsroot/atlas2/compass/BOM,v
Working file: atlas2/compass/BOM
head: 203.329
branch:
locks: strict

cd Mar 21-27 1995.log

access list:
symbolic names:
 b4_rich: 203.329
keyword substitution: kv
total revisions: 532; selected revisions: 2
description:
releasebom adding BOM

revision 2.5
date: 1995/03/22 00:49:50; author: wampler; state: Exp; lines: +2 -2
Release Target: atlas/compass/layouts
 padintvss.ly
 padintvdd.ly

Added POBS & OBS1 obstructions over Metal1 geometry in internal vdd/vss pads

revision 2.4
date: 1995/03/21 20:53:58; author: wampler; state: Exp; lines: +2 -2
Release Target: atlas/compass/layouts
 sofa_pins.ly

Release of sofa_pins.ly for baseplate model

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/BOM,v
working file: atlas2/compass/layouts/BOM
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 248; selected revisions: 2
description:
releasebom adding BOM

revision 4.2
date: 1995/03/22 00:49:39; author: wampler; state: Exp; lines: +9 -1
Release Target: atlas/compass/layouts
 padintvss.ly
 padintvdd.ly

Added POBS & OBS1 obstructions over Metal1 geometry in internal vdd/vss pads

revision 4.1
date: 1995/03/21 20:53:46; author: wampler; state: Exp; lines: +5 -1
Release Target: atlas/compass/layouts
 sofa_pins.ly

Release of sofa_pins.ly for baseplate model

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/atlas.db,v
working file: atlas2/compass/layouts/atlas.db
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 133; selected revisions: 10
description:

cd Mar 21-27 1995.log

revision 1.33

date: 1995/03/24 23:37:48; author: chip; state: Exp; lines: +36 -36
periodic checkin of Fri Mar 24 15:37:44 PST 1995

revision 1.32

date: 1995/03/24 23:17:18; author: chip; state: Exp; lines: +57 -57
periodic checkin of Fri Mar 24 15:17:15 PST 1995

revision 1.31

date: 1995/03/23 21:57:57; author: chip; state: Exp; lines: +46 -46
periodic checkin of Thu Mar 23 13:57:54 PST 1995

revision 1.30

date: 1995/03/23 17:35:35; author: chip; state: Exp; lines: +27 -27
periodic checkin of Thu Mar 23 09:35:30 PST 1995

revision 1.29

date: 1995/03/23 00:20:05; author: chip; state: Exp; lines: +58 -57
periodic checkin of Wed Mar 22 16:20:02 PST 1995

revision 1.28

date: 1995/03/22 23:40:36; author: chip; state: Exp; lines: +57 -57
periodic checkin of Wed Mar 22 15:40:33 PST 1995

revision 1.27

date: 1995/03/22 22:51:58; author: chip; state: Exp; lines: +16 -15
periodic checkin of Wed Mar 22 14:51:55 PST 1995

revision 1.26

date: 1995/03/22 22:05:24; author: chip; state: Exp; lines: +11 -10
periodic checkin of Wed Mar 22 14:05:21 PST 1995

revision 1.25

date: 1995/03/22 20:31:59; author: chip; state: Exp; lines: +68 -68
periodic checkin of Wed Mar 22 12:31:55 PST 1995

revision 1.24

date: 1995/03/21 22:50:29; author: chip; state: Exp; lines: +63 -59
periodic checkin of Tue Mar 21 14:50:26 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cabsel.ly,v

working file: atlas2/compass/layouts/cabsel.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 20; selected revisions: 2

description:

revision 4.5

date: 1995/03/23 21:31:23; author: chip; state: Exp; lines: +524 -58
periodic checkin of Thu Mar 23 13:31:15 PST 1995

revision 4.4

date: 1995/03/23 00:55:21; author: chip; state: Exp; lines: +94 -598
periodic checkin of Wed Mar 22 16:55:15 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cainvc.ly,v

working file: atlas2/compass/layouts/cainvc.ly

cd Mar 21-27 1995.log

head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 5
description:

revision 4.7
date: 1995/03/23 21:31:24; author: chip; state: Exp; lines: +46 -52
periodic checkin of Thu Mar 23 13:31:15 PST 1995

revision 4.6
date: 1995/03/23 00:55:22; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 22 16:55:15 PST 1995

revision 4.5
date: 1995/03/22 18:21:38; author: chip; state: Exp; lines: +113 -114
periodic checkin of Wed Mar 22 10:21:34 PST 1995

revision 4.4
date: 1995/03/21 23:47:23; author: chip; state: Exp; lines: +17 -18
periodic checkin of Tue Mar 21 15:47:19 PST 1995

revision 4.3
date: 1995/03/21 22:58:19; author: chip; state: Exp; lines: +119 -106
periodic checkin of Tue Mar 21 14:58:16 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cardxdec.ly,v
Working file: atlas2/compass/layouts/cardxdec.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 5
description:

revision 4.5
date: 1995/03/23 21:31:26; author: chip; state: Exp; lines: +273 -232
periodic checkin of Thu Mar 23 13:31:15 PST 1995

revision 4.4
date: 1995/03/23 00:55:24; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 22 16:55:15 PST 1995

revision 4.3
date: 1995/03/22 18:21:39; author: chip; state: Exp; lines: +388 -390
periodic checkin of Wed Mar 22 10:21:34 PST 1995

revision 4.2
date: 1995/03/21 23:47:25; author: chip; state: Exp; lines: +165 -104
periodic checkin of Tue Mar 21 15:47:19 PST 1995

revision 4.1
date: 1995/03/21 22:46:50; author: chip; state: Exp;
periodic checkin of Tue Mar 21 14:46:47 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cardxdec2.ly,v

```

                                cd Mar 21-27 1995.log
Working file: atlas2/compass/layouts/cardxdec2.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;      selected revisions: 5
description:
-----
revision 4.5
date: 1995/03/23 21:31:28; author: chip; state: Exp; lines: +115 -72
periodic checkin of Thu Mar 23 13:31:15 PST 1995
-----
revision 4.4
date: 1995/03/23 00:55:26; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 22 16:55:15 PST 1995
-----
revision 4.3
date: 1995/03/22 18:21:41; author: chip; state: Exp; lines: +259 -257
periodic checkin of Wed Mar 22 10:21:34 PST 1995
-----
revision 4.2
date: 1995/03/21 23:47:26; author: chip; state: Exp; lines: +67 -4
periodic checkin of Tue Mar 21 15:47:19 PST 1995
-----
revision 4.1
date: 1995/03/21 22:46:52; author: chip; state: Exp;
periodic checkin of Tue Mar 21 14:46:47 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/carxd1024.ly,v
Working file: atlas2/compass/layouts/carxd1024.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13;      selected revisions: 2
description:
-----
revision 4.2
date: 1995/03/23 21:31:30; author: chip; state: Exp; lines: +1107 -8
periodic checkin of Thu Mar 23 13:31:15 PST 1995
-----
revision 4.1
date: 1995/03/23 00:55:28; author: chip; state: Exp;
periodic checkin of Wed Mar 22 16:55:15 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/carxdec64.ly,v
Working file: atlas2/compass/layouts/carxdec64.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;      selected revisions: 3
description:
-----
revision 4.3

```

cd Mar 21-27 1995.log
date: 1995/03/23 21:31:32; author: chip; state: Exp; lines: +88 -85
periodic checkin of Thu Mar 23 13:31:15 PST 1995

revision 4.2
date: 1995/03/23 00:55:30; author: chip; state: Exp; lines: +160 -161
periodic checkin of Wed Mar 22 16:55:15 PST 1995

revision 4.1
date: 1995/03/22 18:21:42; author: chip; state: Exp;
periodic checkin of Wed Mar 22 10:21:34 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/carxdec8.ly,v
working file: atlas2/compass/layouts/carxdec8.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 4
description:

revision 4.4
date: 1995/03/23 21:31:34; author: chip; state: Exp; lines: +12 -12
periodic checkin of Thu Mar 23 13:31:15 PST 1995

revision 4.3
date: 1995/03/22 18:21:44; author: chip; state: Exp; lines: +71 -12
periodic checkin of Wed Mar 22 10:21:34 PST 1995

revision 4.2
date: 1995/03/21 23:47:27; author: chip; state: Exp; lines: +5 -5
periodic checkin of Tue Mar 21 15:47:19 PST 1995

revision 4.1
date: 1995/03/21 22:46:53; author: chip; state: Exp;
periodic checkin of Tue Mar 21 14:46:47 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/caxhreg.ly,v
working file: atlas2/compass/layouts/caxhreg.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13; selected revisions: 1
description:

revision 4.1
date: 1995/03/24 23:35:40; author: chip; state: Exp;
periodic checkin of Fri Mar 24 15:35:37 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/caxpre4.ly,v
working file: atlas2/compass/layouts/caxpre4.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:

cd Mar 21-27 1995.log

keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 4.1
date: 1995/03/24 23:35:42; author: chip; state: Exp;
periodic checkin of Fri Mar 24 15:35:37 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/caxpre4s.ly,v
working file: atlas2/compass/layouts/caxpre4s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8; selected revisions: 2
description:

revision 4.2
date: 1995/03/24 23:37:50; author: chip; state: Exp; lines: +52 -65
periodic checkin of Fri Mar 24 15:37:44 PST 1995

revision 4.1
date: 1995/03/22 20:32:02; author: chip; state: Exp;
periodic checkin of Wed Mar 22 12:31:55 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtddrv.ly,v
working file: atlas2/compass/layouts/cgtddrv.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 2
description:

revision 4.2
date: 1995/03/22 23:07:09; author: chip; state: Exp; lines: +3 -4
periodic checkin of Wed Mar 22 15:07:06 PST 1995

revision 4.1
date: 1995/03/21 18:13:16; author: chip; state: Exp;
periodic checkin of Tue Mar 21 10:13:13 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtddrv_2x.ly,v
working file: atlas2/compass/layouts/cgtddrv_2x.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/21 18:10:45; author: chip; state: Exp;
periodic checkin of Tue Mar 21 10:10:41 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtm1col.ly,v
Working file: atlas2/compass/layouts/cgtm1col.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 4
description:

revision 4.4
date: 1995/03/22 23:07:11; author: chip; state: Exp; lines: +2 -2
periodic checkin of Wed Mar 22 15:07:06 PST 1995

revision 4.3
date: 1995/03/22 23:03:07; author: chip; state: Exp; lines: +9 -9
periodic checkin of Wed Mar 22 15:03:03 PST 1995

revision 4.2
date: 1995/03/22 22:49:56; author: chip; state: Exp; lines: +9 -15
periodic checkin of Wed Mar 22 14:49:53 PST 1995

revision 4.1
date: 1995/03/22 21:37:15; author: chip; state: Exp;
periodic checkin of Wed Mar 22 13:37:12 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmatch.ly,v
Working file: atlas2/compass/layouts/cgtmatch.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 17; selected revisions: 2
description:

revision 4.6
date: 1995/03/22 23:07:13; author: chip; state: Exp; lines: +4 -5
periodic checkin of Wed Mar 22 15:07:06 PST 1995

revision 4.5
date: 1995/03/21 17:40:37; author: chip; state: Exp; lines: +61 -57
periodic checkin of Tue Mar 21 09:40:30 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmatch_2x2.ly,v
Working file: atlas2/compass/layouts/cgtmatch_2x2.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/21 18:10:49; author: chip; state: Exp;

cd Mar 21-27 1995.log
periodic checkin of Tue Mar 21 10:10:41 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmpu.ly,v
working file: atlas2/compass/layouts/cgtmpu.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 20; selected revisions: 1
description:

revision 4.1
date: 1995/03/22 23:07:14; author: chip; state: Exp;
periodic checkin of Wed Mar 22 15:07:06 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmsa.ly,v
working file: atlas2/compass/layouts/cgtmsa.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 21; selected revisions: 1
description:

revision 4.1
date: 1995/03/22 23:07:16; author: chip; state: Exp;
periodic checkin of Wed Mar 22 15:07:06 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtlsa.ly,v
working file: atlas2/compass/layouts/cgtlsa.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12; selected revisions: 1
description:

revision 4.1
date: 1995/03/22 23:07:18; author: chip; state: Exp;
periodic checkin of Wed Mar 22 15:07:06 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtlsa_2x.ly,v
working file: atlas2/compass/layouts/cgtlsa_2x.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1

cd Mar 21-27 1995.log
date: 1995/03/22 23:07:21; author: chip; state: Exp;
periodic checkin of Wed Mar 22 15:07:06 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtvapnff.ly,v
working file: atlas2/compass/layouts/cgtvapnff.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 21; selected revisions: 1
description:

revision 4.1
date: 1995/03/21 18:13:20; author: chip; state: Exp;
periodic checkin of Tue Mar 21 10:13:13 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtvapnff_2x1.ly,v
working file: atlas2/compass/layouts/cgtvapnff_2x1.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/21 18:10:52; author: chip; state: Exp;
periodic checkin of Tue Mar 21 10:10:41 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_fillet.ly,v
working file: atlas2/compass/layouts/pad_fillet.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 4.2
date: 1995/03/23 19:11:45; author: chip; state: Exp; lines: +7 -8
periodic checkin of Thu Mar 23 11:11:42 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_guardring.ly,v
working file: atlas2/compass/layouts/pad_guardring.ly
head: 4.7
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 3
description:

cd Mar 21-27 1995.log

revision 4.7

date: 1995/03/22 23:07:23; author: chip; state: Exp; lines: +2 -2
periodic checkin of Wed Mar 22 15:07:06 PST 1995

revision 4.6

date: 1995/03/22 21:45:09; author: chip; state: Exp; lines: +13 -13
periodic checkin of Wed Mar 22 13:45:06 PST 1995

revision 4.5

date: 1995/03/22 00:12:59; author: chip; state: Exp; lines: +11 -11
periodic checkin of Tue Mar 21 16:12:55 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_hem.ly,v

working file: atlas2/compass/layouts/pad_hem.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 18; selected revisions: 3

description:

revision 4.4

date: 1995/03/23 21:55:59; author: chip; state: Exp; lines: +5 -5
periodic checkin of Thu Mar 23 13:55:55 PST 1995

revision 4.3

date: 1995/03/23 17:35:38; author: chip; state: Exp; lines: +17 -11
periodic checkin of Thu Mar 23 09:35:30 PST 1995

revision 4.2

date: 1995/03/23 00:17:47; author: chip; state: Exp; lines: +7 -7
periodic checkin of Wed Mar 22 16:17:43 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_hem2.ly,v

working file: atlas2/compass/layouts/pad_hem2.ly

head: 4.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 4.3

date: 1995/03/23 01:21:44; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 22 17:21:39 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_n_static.ly,v

working file: atlas2/compass/layouts/pad_n_static.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 16; selected revisions: 1

description:

cd Mar 21-27 1995.log

revision 4.5
date: 1995/03/24 01:18:04; author: chip; state: Exp; lines: +5 -5
periodic checkin of Thu Mar 23 17:18:00 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_n_subcell.ly,v
Working file: atlas2/compass/layouts/pad_n_subcell.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12; selected revisions: 1
description:

revision 4.6
date: 1995/03/24 01:08:09; author: chip; state: Exp; lines: +5 -5
periodic checkin of Thu Mar 23 17:08:05 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_p_static.ly,v
Working file: atlas2/compass/layouts/pad_p_static.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12; selected revisions: 1
description:

revision 4.4
date: 1995/03/24 01:18:05; author: chip; state: Exp; lines: +5 -5
periodic checkin of Thu Mar 23 17:18:00 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_p_subcell.ly,v
Working file: atlas2/compass/layouts/pad_p_subcell.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10; selected revisions: 1
description:

revision 4.5
date: 1995/03/24 01:08:12; author: chip; state: Exp; lines: +5 -5
periodic checkin of Thu Mar 23 17:08:05 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_pwrbusse.ly,v
Working file: atlas2/compass/layouts/pad_pwrbusse.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10; selected revisions: 2

cd Mar 21-27 1995.log

description:

revision 4.2
date: 1995/03/24 00:15:50; author: chip; state: Exp; lines: +2 -2
periodic checkin of Thu Mar 23 16:15:46 PST 1995

revision 4.1
date: 1995/03/23 00:17:50; author: chip; state: Exp;
periodic checkin of Wed Mar 22 16:17:43 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padbase.ly,v
working file: atlas2/compass/layouts/padbase.ly
head: 4.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 5
description:

revision 4.5
date: 1995/03/24 19:34:25; author: chip; state: Exp; lines: +2 -2
periodic checkin of Fri Mar 24 11:34:21 PST 1995

revision 4.4
date: 1995/03/24 01:08:13; author: chip; state: Exp; lines: +45 -7
periodic checkin of Thu Mar 23 17:08:05 PST 1995

revision 4.3
date: 1995/03/23 22:06:51; author: chip; state: Exp; lines: +2 -3
periodic checkin of Thu Mar 23 14:06:48 PST 1995

revision 4.2
date: 1995/03/23 21:56:00; author: chip; state: Exp; lines: +15 -2
periodic checkin of Thu Mar 23 13:55:55 PST 1995

revision 4.1
date: 1995/03/23 00:17:53; author: chip; state: Exp;
periodic checkin of Wed Mar 22 16:17:43 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padbase_signal.ly,v
working file: atlas2/compass/layouts/padbase_signal.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/23 00:17:56; author: chip; state: Exp;
periodic checkin of Wed Mar 22 16:17:43 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padhib.ly,v
working file: atlas2/compass/layouts/padhib.ly
head: 200.0
branch:

cd Mar 21-27 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 35; selected revisions: 4
description:

revision 4.13
date: 1995/03/24 21:53:38; author: chip; state: Exp; lines: +10 -8
periodic checkin of Fri Mar 24 13:53:34 PST 1995

revision 4.12
date: 1995/03/24 19:34:27; author: chip; state: Exp; lines: +31 -7
periodic checkin of Fri Mar 24 11:34:21 PST 1995

revision 4.11
date: 1995/03/23 19:29:22; author: chip; state: Exp; lines: +13 -16
periodic checkin of Thu Mar 23 11:29:18 PST 1995

revision 4.10
date: 1995/03/23 00:17:58; author: chip; state: Exp; lines: +3 -41
periodic checkin of Wed Mar 22 16:17:43 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padintvdd.ly,v
working file: atlas2/compass/layouts/padintvdd.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 17; selected revisions: 1
description:

revision 4.6
date: 1995/03/22 00:36:34; author: chip; state: Exp; lines: +6 -2
periodic checkin of Tue Mar 21 16:36:26 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padintvss.ly,v
working file: atlas2/compass/layouts/padintvss.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 18; selected revisions: 1
description:

revision 4.6
date: 1995/03/22 00:39:09; author: chip; state: Exp; lines: +6 -2
periodic checkin of Tue Mar 21 16:39:06 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padm3io.ly,v
working file: atlas2/compass/layouts/padm3io.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:

cd Mar 21-27 1995.log

keyword substitution: kv
total revisions: 21; selected revisions: 4
description:

revision 4.8
date: 1995/03/24 01:08:15; author: chip; state: Exp; lines: +4 -4
periodic checkin of Thu Mar 23 17:08:05 PST 1995

revision 4.7
date: 1995/03/23 23:02:11; author: chip; state: Exp; lines: +5 -5
periodic checkin of Thu Mar 23 15:02:08 PST 1995

revision 4.6
date: 1995/03/23 22:26:54; author: chip; state: Exp; lines: +2 -6
periodic checkin of Thu Mar 23 14:26:51 PST 1995

revision 4.5
date: 1995/03/21 19:46:21; author: chip; state: Exp; lines: +6 -6
periodic checkin of Tue Mar 21 11:46:19 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padttl.ly,v
working file: atlas2/compass/layouts/padttl.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 24; selected revisions: 4
description:

revision 4.12
date: 1995/03/24 21:53:40; author: chip; state: Exp; lines: +39 -13
periodic checkin of Fri Mar 24 13:53:34 PST 1995

revision 4.11
date: 1995/03/23 19:29:25; author: chip; state: Exp; lines: +12 -15
periodic checkin of Thu Mar 23 11:29:18 PST 1995

revision 4.10
date: 1995/03/23 17:35:40; author: chip; state: Exp; lines: +3 -3
periodic checkin of Thu Mar 23 09:35:30 PST 1995

revision 4.9
date: 1995/03/23 00:18:00; author: chip; state: Exp; lines: +3 -41
periodic checkin of Wed Mar 22 16:17:43 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padvdd.ly,v
working file: atlas2/compass/layouts/padvdd.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 39; selected revisions: 5
description:

revision 2.21
date: 1995/03/24 19:34:28; author: chip; state: Exp; lines: +19 -10
periodic checkin of Fri Mar 24 11:34:21 PST 1995

cd Mar 21-27 1995.log

revision 2.20
date: 1995/03/23 21:56:02; author: chip; state: Exp; lines: +4 -4
periodic checkin of Thu Mar 23 13:55:55 PST 1995

revision 2.19
date: 1995/03/23 19:09:09; author: chip; state: Exp; lines: +9 -11
periodic checkin of Thu Mar 23 11:09:05 PST 1995

revision 2.18
date: 1995/03/23 17:35:41; author: chip; state: Exp; lines: +2 -2
periodic checkin of Thu Mar 23 09:35:30 PST 1995

revision 2.17
date: 1995/03/23 00:18:02; author: chip; state: Exp; lines: +3 -40
periodic checkin of Wed Mar 22 16:17:43 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padvss.ly,v
working file: atlas2/compass/layouts/padvss.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 32; selected revisions: 3
description:

revision 4.12
date: 1995/03/24 19:34:30; author: chip; state: Exp; lines: +26 -12
periodic checkin of Fri Mar 24 11:34:21 PST 1995

revision 4.11
date: 1995/03/23 21:56:03; author: chip; state: Exp; lines: +17 -16
periodic checkin of Thu Mar 23 13:55:55 PST 1995

revision 4.10
date: 1995/03/23 00:18:04; author: chip; state: Exp; lines: +3 -40
periodic checkin of Wed Mar 22 16:17:43 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/paguardring.ly,v
working file: atlas2/compass/layouts/paguardring.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13; selected revisions: 2
description:

revision 4.2
date: 1995/03/23 22:01:40; author: chip; state: Exp; lines: +2 -2
periodic checkin of Thu Mar 23 14:01:36 PST 1995

revision 4.1
date: 1995/03/22 23:05:06; author: chip; state: Exp;
periodic checkin of Wed Mar 22 15:05:03 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/paguardring_125u.ly,v

```

                                cd Mar 21-27 1995.log
Working file: atlas2/compass/layouts/paguardring_125u.ly
head: 4.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 2
description:
-----
revision 4.2
date: 1995/03/22 22:03:34; author: chip; state: Exp; lines: +2 -2
periodic checkin of Wed Mar 22 14:03:31 PST 1995
-----
revision 4.1
date: 1995/03/22 21:45:11; author: chip; state: Exp;
periodic checkin of Wed Mar 22 13:45:06 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/paguardring_161u.ly,v
Working file: atlas2/compass/layouts/paguardring_161u.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 4.1
date: 1995/03/22 21:45:13; author: chip; state: Exp;
periodic checkin of Wed Mar 22 13:45:06 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/paguardring_305u.ly,v
Working file: atlas2/compass/layouts/paguardring_305u.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
revision 4.1
date: 1995/03/22 21:45:15; author: chip; state: Exp;
periodic checkin of Wed Mar 22 13:45:06 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pascribeseal_crn.ly,v
Working file: atlas2/compass/layouts/pascribeseal_crn.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 18;     selected revisions: 4
description:
-----
revision 4.4

```


cd Mar 21-27 1995.log
date: 1995/03/23 17:06:03; author: chip; state: Exp; lines: +0 -1
periodic checkin of Thu Mar 23 09:05:59 PST 1995

revision 4.3
date: 1995/03/22 23:03:09; author: chip; state: Exp; lines: +5 -8
periodic checkin of Wed Mar 22 15:03:03 PST 1995

revision 4.2
date: 1995/03/22 23:01:01; author: chip; state: Exp; lines: +22 -6
periodic checkin of Wed Mar 22 15:00:57 PST 1995

revision 4.1
date: 1995/03/22 22:49:58; author: chip; state: Exp;
periodic checkin of Wed Mar 22 14:49:53 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pascribeseal_horz.ly,v
working file: atlas2/compass/layouts/pascribeseal_horz.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12; selected revisions: 3
description:

revision 4.3
date: 1995/03/22 23:46:51; author: chip; state: Exp; lines: +12 -12
periodic checkin of Wed Mar 22 15:46:49 PST 1995

revision 4.2
date: 1995/03/22 23:05:09; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 22 15:05:03 PST 1995

revision 4.1
date: 1995/03/22 22:50:00; author: chip; state: Exp;
periodic checkin of Wed Mar 22 14:49:53 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pascribeseal_vert.ly,v
working file: atlas2/compass/layouts/pascribeseal_vert.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12; selected revisions: 2
description:

revision 4.2
date: 1995/03/22 23:05:10; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 22 15:05:03 PST 1995

revision 4.1
date: 1995/03/22 22:50:01; author: chip; state: Exp;
periodic checkin of Wed Mar 22 14:49:53 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/sofa_pins.ly,v
working file: atlas2/compass/layouts/sofa_pins.ly
head: 200.0

cd Mar 21-27 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/21 20:52:07; author: chip; state: Exp;
periodic checkin of Tue Mar 21 12:52:04 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/test_column.ly,v
working file: atlas2/compass/layouts/test_column.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/21 17:18:45; author: chip; state: Exp;
periodic checkin of Tue Mar 21 09:18:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/vlsi.log,v
working file: atlas2/compass/layouts/vlsi.log
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3575; selected revisions: 104
description:

revision 1.563
date: 1995/03/25 02:13:33; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 18:13:28 PST 1995

revision 1.562
date: 1995/03/25 00:50:01; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 16:49:55 PST 1995

revision 1.561
date: 1995/03/24 23:37:54; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 24 15:37:44 PST 1995

revision 1.560
date: 1995/03/24 23:35:46; author: chip; state: Exp; lines: +4 -0
periodic checkin of Fri Mar 24 15:35:37 PST 1995

revision 1.559
date: 1995/03/24 23:25:44; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 15:25:39 PST 1995

revision 1.558
date: 1995/03/24 23:15:09; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 24 15:15:02 PST 1995

cd Mar 21-27 1995.log

```
-----
revision 1.557
date: 1995/03/24 22:45:52; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 14:45:46 PST 1995
-----
revision 1.556
date: 1995/03/24 21:53:44; author: chip; state: Exp; lines: +6 -0
periodic checkin of Fri Mar 24 13:53:34 PST 1995
-----
revision 1.555
date: 1995/03/24 19:36:28; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 11:36:22 PST 1995
-----
revision 1.554
date: 1995/03/24 19:34:33; author: chip; state: Exp; lines: +8 -0
periodic checkin of Fri Mar 24 11:34:21 PST 1995
-----
revision 1.553
date: 1995/03/24 19:01:13; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 11:01:08 PST 1995
-----
revision 1.552
date: 1995/03/24 18:48:02; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 24 10:47:55 PST 1995
-----
revision 1.551
date: 1995/03/24 01:18:09; author: chip; state: Exp; lines: +4 -0
periodic checkin of Thu Mar 23 17:18:00 PST 1995
-----
revision 1.550
date: 1995/03/24 01:16:15; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 17:16:11 PST 1995
-----
revision 1.549
date: 1995/03/24 01:08:19; author: chip; state: Exp; lines: +8 -0
periodic checkin of Thu Mar 23 17:08:05 PST 1995
-----
revision 1.548
date: 1995/03/24 00:55:43; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 16:55:38 PST 1995
-----
revision 1.547
date: 1995/03/24 00:53:53; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 16:53:49 PST 1995
-----
revision 1.546
date: 1995/03/24 00:22:09; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 16:22:03 PST 1995
-----
revision 1.545
date: 1995/03/24 00:15:53; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 16:15:46 PST 1995
-----
revision 1.544
date: 1995/03/24 00:07:48; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 16:07:42 PST 1995
-----
revision 1.543
date: 1995/03/23 23:24:18; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 15:24:12 PST 1995
-----
revision 1.542
date: 1995/03/23 23:09:59; author: chip; state: Exp; lines: +1 -0
```

```

                                cd Mar 21-27 1995.log
periodic checkin of Thu Mar 23 15:09:54 PST 1995
-----
revision 1.541
date: 1995/03/23 23:06:27; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 15:06:22 PST 1995
-----
revision 1.540
date: 1995/03/23 23:02:14; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 15:02:08 PST 1995
-----
revision 1.539
date: 1995/03/23 22:28:52; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 14:28:47 PST 1995
-----
revision 1.538
date: 1995/03/23 22:26:57; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 23 14:26:51 PST 1995
-----
revision 1.537
date: 1995/03/23 22:06:55; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 23 14:06:48 PST 1995
-----
revision 1.536
date: 1995/03/23 22:01:43; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 14:01:36 PST 1995
-----
revision 1.535
date: 1995/03/23 21:58:01; author: chip; state: Exp; lines: +5 -0
periodic checkin of Thu Mar 23 13:57:54 PST 1995
-----
revision 1.534
date: 1995/03/23 21:56:06; author: chip; state: Exp; lines: +8 -0
periodic checkin of Thu Mar 23 13:55:55 PST 1995
-----
revision 1.533
date: 1995/03/23 21:34:07; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 13:33:59 PST 1995
-----
revision 1.532
date: 1995/03/23 21:31:39; author: chip; state: Exp; lines: +21 -0
periodic checkin of Thu Mar 23 13:31:15 PST 1995
-----
revision 1.531
date: 1995/03/23 19:29:29; author: chip; state: Exp; lines: +6 -0
periodic checkin of Thu Mar 23 11:29:18 PST 1995
-----
revision 1.530
date: 1995/03/23 19:16:42; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 11:16:37 PST 1995
-----
revision 1.529
date: 1995/03/23 19:11:49; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 11:11:42 PST 1995
-----
revision 1.528
date: 1995/03/23 19:09:13; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 23 11:09:05 PST 1995
-----
revision 1.527
date: 1995/03/23 17:58:34; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 09:58:29 PST 1995
-----
revision 1.526

```

```

cd Mar 21-27 1995.log
date: 1995/03/23 17:35:45; author: chip; state: Exp; lines: +11 -0
periodic checkin of Thu Mar 23 09:35:30 PST 1995
-----
revision 1.525
date: 1995/03/23 17:06:08; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 23 09:05:59 PST 1995
-----
revision 1.524
date: 1995/03/23 17:01:05; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 23 09:00:58 PST 1995
-----
revision 1.523
date: 1995/03/23 01:29:06; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 17:28:58 PST 1995
-----
revision 1.522
date: 1995/03/23 01:21:49; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 22 17:21:39 PST 1995
-----
revision 1.521
date: 1995/03/23 01:19:38; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 17:19:32 PST 1995
-----
revision 1.520
date: 1995/03/23 01:17:35; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 17:17:29 PST 1995
-----
revision 1.519
date: 1995/03/23 01:15:29; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 17:15:23 PST 1995
-----
revision 1.518
date: 1995/03/23 01:11:15; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 17:11:09 PST 1995
-----
revision 1.517
date: 1995/03/23 01:01:03; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 17:00:57 PST 1995
-----
revision 1.516
date: 1995/03/23 00:55:34; author: chip; state: Exp; lines: +21 -0
periodic checkin of Wed Mar 22 16:55:15 PST 1995
-----
revision 1.515
date: 1995/03/23 00:39:02; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 16:38:56 PST 1995
-----
revision 1.514
date: 1995/03/23 00:33:38; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 16:33:32 PST 1995
-----
revision 1.513
date: 1995/03/23 00:28:05; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 16:28:00 PST 1995
-----
revision 1.512
date: 1995/03/23 00:20:10; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 16:20:02 PST 1995
-----
revision 1.511
date: 1995/03/23 00:18:10; author: chip; state: Exp; lines: +19 -0
periodic checkin of Wed Mar 22 16:17:43 PST 1995
-----

```

cd Mar 21-27 1995.log

revision 1.510
date: 1995/03/23 00:06:20; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 16:06:15 PST 1995

revision 1.509
date: 1995/03/22 23:58:22; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 22 15:58:17 PST 1995

revision 1.508
date: 1995/03/22 23:56:25; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 15:56:21 PST 1995

revision 1.507
date: 1995/03/22 23:46:55; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 22 15:46:49 PST 1995

revision 1.506
date: 1995/03/22 23:44:49; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 15:44:42 PST 1995

revision 1.505
date: 1995/03/22 23:42:31; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 15:42:27 PST 1995

revision 1.504
date: 1995/03/22 23:40:39; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 22 15:40:33 PST 1995

revision 1.503
date: 1995/03/22 23:07:27; author: chip; state: Exp; lines: +21 -0
periodic checkin of Wed Mar 22 15:07:06 PST 1995

revision 1.502
date: 1995/03/22 23:05:13; author: chip; state: Exp; lines: +14 -0
periodic checkin of Wed Mar 22 15:05:03 PST 1995

revision 1.501
date: 1995/03/22 23:03:13; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Mar 22 15:03:03 PST 1995

revision 1.500
date: 1995/03/22 23:01:04; author: chip; state: Exp; lines: +4 -0
periodic checkin of Wed Mar 22 15:00:57 PST 1995

revision 1.499
date: 1995/03/22 22:53:54; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 14:53:49 PST 1995

revision 1.498
date: 1995/03/22 22:52:02; author: chip; state: Exp; lines: +6 -0
periodic checkin of Wed Mar 22 14:51:55 PST 1995

revision 1.497
date: 1995/03/22 22:50:05; author: chip; state: Exp; lines: +15 -0
periodic checkin of Wed Mar 22 14:49:53 PST 1995

revision 1.496
date: 1995/03/22 22:48:00; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 22 14:47:55 PST 1995

revision 1.495
date: 1995/03/22 22:23:14; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 14:23:10 PST 1995

cd Mar 21-27 1995.log

revision 1.494
date: 1995/03/22 22:12:14; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 22 14:12:09 PST 1995

revision 1.493
date: 1995/03/22 22:10:24; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 14:10:19 PST 1995

revision 1.492
date: 1995/03/22 22:05:27; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 22 14:05:21 PST 1995

revision 1.491
date: 1995/03/22 22:03:37; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 22 14:03:31 PST 1995

revision 1.490
date: 1995/03/22 21:52:52; author: chip; state: Exp; lines: +18 -0
periodic checkin of Wed Mar 22 13:52:48 PST 1995

revision 1.489
date: 1995/03/22 21:51:02; author: chip; state: Exp; lines: +24 -0
periodic checkin of Wed Mar 22 13:50:58 PST 1995

revision 1.488
date: 1995/03/22 21:49:10; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 13:49:06 PST 1995

revision 1.487
date: 1995/03/22 21:47:20; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 13:47:15 PST 1995

revision 1.486
date: 1995/03/22 21:45:18; author: chip; state: Exp; lines: +8 -0
periodic checkin of Wed Mar 22 13:45:06 PST 1995

revision 1.485
date: 1995/03/22 21:37:18; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 22 13:37:12 PST 1995

revision 1.484
date: 1995/03/22 20:32:07; author: chip; state: Exp; lines: +7 -0
periodic checkin of Wed Mar 22 12:31:55 PST 1995

revision 1.483
date: 1995/03/22 20:29:30; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 12:29:25 PST 1995

revision 1.482
date: 1995/03/22 19:08:33; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 11:08:29 PST 1995

revision 1.481
date: 1995/03/22 18:56:35; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 10:56:29 PST 1995

revision 1.480
date: 1995/03/22 18:21:48; author: chip; state: Exp; lines: +15 -0
periodic checkin of Wed Mar 22 10:21:34 PST 1995

revision 1.479
date: 1995/03/22 18:13:32; author: chip; state: Exp; lines: +11 -0

```

cd Mar 21-27 1995.log
periodic checkin of Wed Mar 22 10:13:26 PST 1995
-----
revision 1.478
date: 1995/03/22 18:11:00; author: chip; state: Exp; lines: +8 -0
periodic checkin of Wed Mar 22 10:10:55 PST 1995
-----
revision 1.477
date: 1995/03/22 17:45:09; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 22 09:45:04 PST 1995
-----
revision 1.476
date: 1995/03/22 00:36:42; author: chip; state: Exp; lines: +6 -0
periodic checkin of Tue Mar 21 16:36:26 PST 1995
-----
revision 1.475
date: 1995/03/22 00:24:58; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 21 16:24:53 PST 1995
-----
revision 1.474
date: 1995/03/22 00:15:05; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 21 16:14:59 PST 1995
-----
revision 1.473
date: 1995/03/22 00:13:02; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 16:12:55 PST 1995
-----
revision 1.472
date: 1995/03/21 23:47:30; author: chip; state: Exp; lines: +12 -0
periodic checkin of Tue Mar 21 15:47:19 PST 1995
-----
revision 1.471
date: 1995/03/21 23:04:47; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 21 15:04:42 PST 1995
-----
revision 1.470
date: 1995/03/21 22:58:22; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 14:58:16 PST 1995
-----
revision 1.469
date: 1995/03/21 22:50:32; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 14:50:26 PST 1995
-----
revision 1.468
date: 1995/03/21 22:48:41; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 21 14:48:37 PST 1995
-----
revision 1.467
date: 1995/03/21 22:46:56; author: chip; state: Exp; lines: +9 -0
periodic checkin of Tue Mar 21 14:46:47 PST 1995
-----
revision 1.466
date: 1995/03/21 20:52:10; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 12:52:04 PST 1995
-----
revision 1.465
date: 1995/03/21 19:46:24; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 11:46:19 PST 1995
-----
revision 1.464
date: 1995/03/21 19:42:25; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 21 11:42:19 PST 1995
-----
revision 1.463

```


cd Mar 21-27 1995.log
date: 1995/03/21 18:13:24; author: chip; state: Exp; lines: +9 -0
periodic checkin of Tue Mar 21 10:13:13 PST 1995

revision 1.462
date: 1995/03/21 18:10:56; author: chip; state: Exp; lines: +8 -0
periodic checkin of Tue Mar 21 10:10:41 PST 1995

revision 1.461
date: 1995/03/21 17:40:42; author: chip; state: Exp; lines: +3 -0
periodic checkin of Tue Mar 21 09:40:30 PST 1995

revision 1.460
date: 1995/03/21 17:18:48; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 21 09:18:42 PST 1995
=====

RCS file: /p/cvsroot/atlas2/dcell/Makefile,v
working file: atlas2/dcell/Makefile
head: 200.4
branch:
locks: strict
access list:
symbolic names:
b4_rich: 200.4
keyword substitution: kv
total revisions: 14; selected revisions: 1
description:

revision 1.2
date: 1995/03/25 00:00:18; author: ong; state: Exp; lines: +2 -2
New dcells for floorplan. They are estimates only.
=====

RCS file: /p/cvsroot/atlas2/dcell/Attic/cache.dcell,v
working file: atlas2/dcell/cache.dcell
head: 200.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 1.5
date: 1995/03/25 00:00:21; author: ong; state: Exp; lines: +5 -7
New dcells for floorplan. They are estimates only.
=====

RCS file: /p/cvsroot/atlas2/dcell/Attic/custom-list,v
working file: atlas2/dcell/custom-list
head: 200.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 17; selected revisions: 1
description:

revision 1.2
date: 1995/03/25 00:00:23; author: ong; state: Exp; lines: +2 -2
New dcells for floorplan. They are estimates only.

```
=====
RCS file: /p/cvsroot/atlas2/dcell/Attic/iobyte.dcell,v
working file: atlas2/dcell/iobyte.dcell
head: 2.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
-----
```

```
revision 2.1
date: 1995/03/25 00:00:26; author: ong; state: Exp;
New dcells for floorplan. They are estimates only.
=====
```

```
RCS file: /p/cvsroot/atlas2/dcell/Attic/regfile.dcell,v
working file: atlas2/dcell/regfile.dcell
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
-----
```

```
revision 2.1
date: 1995/03/25 00:00:28; author: ong; state: Exp;
New dcells for floorplan. They are estimates only.
=====
```

```
RCS file: /p/cvsroot/atlas2/dcell/Attic/tag.dcell,v
working file: atlas2/dcell/tag.dcell
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
-----
```

```
revision 2.1
date: 1995/03/25 00:00:31; author: ong; state: Exp;
New dcells for floorplan. They are estimates only.
=====
```

```
RCS file: /p/cvsroot/atlas2/dcell/Attic/tlb.dcell,v
working file: atlas2/dcell/tlb.dcell
head: 2.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;      selected revisions: 1
description:
-----
```

```
revision 2.1
date: 1995/03/25 00:00:34; author: ong; state: Exp;
```

cd Mar 21-27 1995.log
New dcells for floorplan. They are estimates only.

RCS file: /p/cvsroot/atlas2/doc/BOM,v
working file: atlas2/doc/BOM
head: 208.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 203.0
keyword substitution: kv
total revisions: 101; selected revisions: 2
description:
releasebom adding BOM

revision 30.0
date: 1995/03/23 00:49:56; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/doc

Release nb array documentation

Geert

revision 29.3
date: 1995/03/23 00:49:48; author: geert; state: Exp; lines: +2 -1
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas2/doc/nbbuf.ht,v
working file: atlas2/doc/nbbuf.ht
head: 200.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 29.1
date: 1995/03/23 00:42:24; author: geert; state: Exp;
Nb buffer specifications

Geert

RCS file: /p/cvsroot/atlas2/gards/BOM,v
working file: atlas2/gards/BOM
head: 235.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 235.0
keyword substitution: kv
total revisions: 168; selected revisions: 2
description:

revision 2.5
date: 1995/03/25 01:28:17; author: wampler; state: Exp; lines: +2 -2
Release Target: atlas/gards/basegen

cd Mar 21-27 1995.log

Added left-right flipped orientations to legal cell positions in
sofacd1.c.template.

revision 2.4

date: 1995/03/23 19:23:37; author: geert; state: Exp; lines: +2 -2
Release Target: atlas/gards/basegen

General GARDS baseplate genearing scripts

Gert

=====

RCS file: /p/cvsroot/atlas2/gards/Makefile,v

working file: atlas2/gards/Makefile

head: 200.5

branch:

locks: strict

access list:

symbolic names:

b4_rich: 200.5

keyword substitution: kv

total revisions: 11; selected revisions: 1

description:

revision 1.2

date: 1995/03/22 00:54:58; author: wampler; state: Exp; lines: +2 -2

Makefile:

Removed ged/sc/sc-list & exlast/list from SOFA_LIST definition

Makefile.chipbase

Commented out sofa_captiles copy into guards/sofa. Irrelevant for cronus?

=====

RCS file: /p/cvsroot/atlas2/gards/Attic/Makefile.chipbase,v

working file: atlas2/gards/Makefile.chipbase

head: 200.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 13; selected revisions: 1

description:

revision 1.2

date: 1995/03/22 00:55:00; author: wampler; state: Exp; lines: +6 -6

Makefile:

Removed ged/sc/sc-list & exlast/list from SOFA_LIST definition

Makefile.chipbase

Commented out sofa_captiles copy into guards/sofa. Irrelevant for cronus?

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/BOM,v

working file: atlas2/gards/basegen/BOM

head: 228.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 228.0

keyword substitution: kv

total revisions: 109; selected revisions: 4

description:

cd Mar 21-27 1995.log

releasebom adding BOM

revision 7.0

date: 1995/03/25 01:28:07; author: wampler; state: Exp; lines: +1 -1
Release Target: atlas/gards/basegen

Added left-right flipped orientations to legal cell positions in
sofacd1.c.template.

revision 6.1

date: 1995/03/25 01:28:01; author: wampler; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r

revision 6.0

date: 1995/03/23 19:23:26; author: geert; state: Exp; lines: +1 -1
Release Target: atlas/gards/basegen

General GARDS baseplate genearing scripts

Gert

revision 5.1

date: 1995/03/23 19:23:18; author: geert; state: Exp; lines: +4 -4
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/basecompile,v

working file: atlas2/gards/basegen/basecompile

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 1.2

date: 1995/03/22 00:52:28; author: wampler; state: Exp; lines: +2 -2

basecompile: fixed global pin handling

flat.sel: added power pads etc.

sofa_model.ly.template: updated locations of 3 global pins vss, vdd, phi_am

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/flat.sel,v

working file: atlas2/gards/basegen/flat.sel

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 13; selected revisions: 1

description:

revision 1.2

date: 1995/03/22 00:52:30; author: wampler; state: Exp; lines: +9 -4

basecompile: fixed global pin handling

flat.sel: added power pads etc.

sofa_model.ly.template: updated locations of 3 global pins vss, vdd, phi_am

=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/sofa_model.ly.template,v

```

                                cd Mar 21-27 1995.log
Working file: atlas2/gards/basegen/sofa_model.ly.template
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;      selected revisions: 1
description:
-----
revision 1.2
date: 1995/03/22 00:52:32; author: wampler; state: Exp; lines: +4 -4
basecompile: fixed global pin handling
flat.sel: added power pads etc.
sofa_model.ly.template: updated locations of 3 global pins vss, vdd, phi_am
=====

RCS file: /p/cvsroot/atlas2/gards/basegen/Attic/sofacd1.c.template,v
Working file: atlas2/gards/basegen/sofacd1.c.template
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;      selected revisions: 1
description:
-----
revision 1.4
date: 1995/03/25 01:27:18; author: wampler; state: Exp; lines: +24 -1
Added left-right flipped orientations to legal cell positions in
sofacd1.c.template.
=====

RCS file: /p/cvsroot/atlas2/ged/BOM,v
Working file: atlas2/ged/BOM
head: 207.61
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 207.57
keyword substitution: kv
total revisions: 1847; selected revisions: 7
description:
-----
revision 6.4
date: 1995/03/25 01:10:36; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xvff

change xvff to xvffq
-----
revision 6.3
date: 1995/03/25 01:09:10; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xvffq

change xvff to xvffq
-----
revision 6.2
date: 1995/03/24 23:15:15; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp

```

cd Mar 21-27 1995.log

revision 6.1

date: 1995/03/24 20:13:42; author: brianl; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in
schematics for xv17andffq, xv17andlbn and xv17orlan.

revision 6.0

date: 1995/03/22 02:02:28; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged

add primitives section

revision 5.6

date: 1995/03/22 02:02:21; author: tom; state: Exp; lines: +2 -1
releasebom: File needs to be up-to-date to use commit -r

revision 5.5

date: 1995/03/22 01:35:46; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged
README

add primitives section

=====

RCS file: /p/cvsroot/atlas2/ged/Attic/README,v
working file: atlas2/ged/README
head: 200.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 21; selected revisions: 1
description:

revision 1.4

date: 1995/03/22 01:35:31; author: tom; state: Exp; lines: +3 -1
add primitives section

=====

RCS file: /p/cvsroot/atlas2/ged/devices/BOM,v
working file: atlas2/ged/devices/BOM
head: 211.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 211.0
keyword substitution: kv
total revisions: 30; selected revisions: 2
description:
releasebom adding BOM

revision 3.0

date: 1995/03/24 23:15:04; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp

revision 2.1

date: 1995/03/24 23:14:54; author: tom; state: Exp; lines: +5 -1

cd Mar 21-27 1995.log
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas2/ged/devices/rdiff/BOM,v
working file: atlas2/ged/devices/rdiff/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 201.0
keyword substitution: kv
total revisions: 5; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/24 23:13:37; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp

revision 1.1
date: 1995/03/24 23:13:29; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas2/ged/devices/rdiff/body.1.1,v
working file: atlas2/ged/devices/rdiff/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:07:41; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp

RCS file: /p/cvsroot/atlas2/ged/devices/rdiff/chips_prt,v
working file: atlas2/ged/devices/rdiff/chips_prt
head: 200.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:07:44; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp

RCS file: /p/cvsroot/atlas2/ged/devices/rdiff/part.1.1,v
working file: atlas2/ged/devices/rdiff/part.1.1

cd Mar 21-27 1995.log

head: 200.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:07:47; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas2/ged/devices/rdiff/part_cn.1.1,v
working file: atlas2/ged/devices/rdiff/part_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:07:50; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas2/ged/devices/rdiff/subckt,v
working file: atlas2/ged/devices/rdiff/subckt
head: 200.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:07:53; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas2/ged/devices/rdiffs/BOM,v
working file: atlas2/ged/devices/rdiffs/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 201.0
keyword substitution: kv
total revisions: 5; selected revisions: 2
description:
releasebom adding BOM

revision 2.0

cd Mar 21-27 1995.log
date: 1995/03/24 23:13:55; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp

revision 1.1
date: 1995/03/24 23:13:48; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/devices/rdiffs/body.1.1,v
working file: atlas2/ged/devices/rdiffs/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:06; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas2/ged/devices/rdiffs/chips_prt,v
working file: atlas2/ged/devices/rdiffs/chips_prt
head: 200.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:09; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas2/ged/devices/rdiffs/part.1.1,v
working file: atlas2/ged/devices/rdiffs/part.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:12; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas2/ged/devices/rdiffs/part_cn.1.1,v
working file: atlas2/ged/devices/rdiffs/part_cn.1.1

cd Mar 21-27 1995.log

head: 200.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:15; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas2/ged/devices/rdiffs/subckt,v
working file: atlas2/ged/devices/rdiffs/subckt
head: 200.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:19; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas2/ged/devices/rnw/BOM,v
working file: atlas2/ged/devices/rnw/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 201.0
keyword substitution: kv
total revisions: 5; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/24 23:14:15; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp

revision 1.1
date: 1995/03/24 23:14:07; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/devices/rnw/body.1.1,v
working file: atlas2/ged/devices/rnw/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:

cd Mar 21-27 1995.log

b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:25; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas2/ged/devices/rnw/chips_prt,v
working file: atlas2/ged/devices/rnw/chips_prt
head: 200.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:28; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas2/ged/devices/rnw/part.1.1,v
working file: atlas2/ged/devices/rnw/part.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:31; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas2/ged/devices/rnw/part_cn.1.1,v
working file: atlas2/ged/devices/rnw/part_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:33; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas2/ged/devices/rnw/subckt,v
working file: atlas2/ged/devices/rnw/subckt

cd Mar 21-27 1995.log

head: 200.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:36; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas2/ged/devices/spnp/BOM,v
Working file: atlas2/ged/devices/spnp/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 201.0
keyword substitution: kv
total revisions: 5; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/24 23:14:37; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/devices

add rdiff, rdiffs, rnw, and spnp

revision 1.1
date: 1995/03/24 23:14:29; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/devices/spnp/body.1.1,v
Working file: atlas2/ged/devices/spnp/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:40; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas2/ged/devices/spnp/chips_prt,v
Working file: atlas2/ged/devices/spnp/chips_prt
head: 200.0
branch:
locks: strict
access list:
symbolic names:

cd Mar 21-27 1995.log

b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:42; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas2/ged/devices/spnp/part.1.1,v
Working file: atlas2/ged/devices/spnp/part.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:45; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas2/ged/devices/spnp/part_cn.1.1,v
Working file: atlas2/ged/devices/spnp/part_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:48; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas2/ged/devices/spnp/subckt,v
Working file: atlas2/ged/devices/spnp/subckt
head: 200.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/24 23:08:50; author: tom; state: Exp;
add rdiff, rdiffs, rnw, and spnp
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/BOM,v
Working file: atlas2/ged/primitives/BOM

cd Mar 21-27 1995.log

head: 227.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 227.0
keyword substitution: kv
total revisions: 68; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/22 01:53:53; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged

add primitives section

revision 1.1
date: 1995/03/22 01:53:45; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/invc/BOM,v
working file: atlas2/ged/primitives/invc/BOM
head: 202.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 202.0
keyword substitution: kv
total revisions: 7; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/22 01:51:42; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged

add primitives section

revision 1.1
date: 1995/03/22 01:51:33; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/invc/body.1.1,v
working file: atlas2/ged/primitives/invc/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:33:41; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

cd Mar 21-27 1995.log

RCS file: /p/cvsroot/atlas2/ged/primitives/invc/spice.1.1,v
working file: atlas2/ged/primitives/invc/spice.1.1
head: 200.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.1
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:33:42; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/invc/spice_cn.1.1,v
working file: atlas2/ged/primitives/invc/spice_cn.1.1
head: 200.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.1
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:33:44; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nand2c/BOM,v
working file: atlas2/ged/primitives/nand2c/BOM
head: 202.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 202.0
keyword substitution: kv
total revisions: 7; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/22 01:52:07; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged

add primitives section

revision 1.1
date: 1995/03/22 01:51:59; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nand2c/body.1.1,v
working file: atlas2/ged/primitives/nand2c/body.1.1
head: 200.0
branch:
locks: strict

cd Mar 21-27 1995.log

access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:33:47; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nand2c/spice.1.1,v
Working file: atlas2/ged/primitives/nand2c/spice.1.1
head: 200.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.1
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:33:49; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nand2c/spice_cn.1.1,v
Working file: atlas2/ged/primitives/nand2c/spice_cn.1.1
head: 200.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.1
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:33:50; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nand3c/BOM,v
Working file: atlas2/ged/primitives/nand3c/BOM
head: 202.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 202.0
keyword substitution: kv
total revisions: 7; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/22 01:52:32; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged

cd Mar 21-27 1995.log

add primitives section

revision 1.1
date: 1995/03/22 01:52:21; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nand3c/body.1.1,v
working file: atlas2/ged/primitives/nand3c/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:33:53; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nand3c/spice.1.1,v
working file: atlas2/ged/primitives/nand3c/spice.1.1
head: 200.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.1
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:33:55; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nand3c/spice_cn.1.1,v
working file: atlas2/ged/primitives/nand3c/spice_cn.1.1
head: 200.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.1
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:33:56; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nand4c/BOM,v
working file: atlas2/ged/primitives/nand4c/BOM
head: 202.0
branch:
locks: strict

cd Mar 21-27 1995.log

access list:

symbolic names:

b4_rich: 202.0

keyword substitution: kv

total revisions: 7; selected revisions: 2

description:

releasebom adding BOM

revision 2.0

date: 1995/03/22 01:52:52; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/ged

add primitives section

revision 1.1

date: 1995/03/22 01:52:44; author: tom; state: Exp;

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nand4c/body.1.1,v

working file: atlas2/ged/primitives/nand4c/body.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 200.0

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.1

date: 1995/03/22 01:34:00; author: tom; state: Exp;

importing simple cmos structures from proteus

=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nand4c/spice.1.1,v

working file: atlas2/ged/primitives/nand4c/spice.1.1

head: 200.1

branch:

locks: strict

access list:

symbolic names:

b4_rich: 200.1

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.1

date: 1995/03/22 01:34:01; author: tom; state: Exp;

importing simple cmos structures from proteus

=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nand4c/spice_cn.1.1,v

working file: atlas2/ged/primitives/nand4c/spice_cn.1.1

head: 200.1

branch:

locks: strict

access list:

symbolic names:

b4_rich: 200.1

keyword substitution: kv

total revisions: 3; selected revisions: 1

cd Mar 21-27 1995.log

description:

revision 1.1
date: 1995/03/22 01:34:03; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nor2c/BOM,v
Working file: atlas2/ged/primitives/nor2c/BOM
head: 202.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 202.0
keyword substitution: kv
total revisions: 7; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/22 01:53:13; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged

add primitives section

revision 1.1
date: 1995/03/22 01:53:04; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nor2c/body.1.1,v
Working file: atlas2/ged/primitives/nor2c/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.0
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:34:05; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nor2c/spice.1.1,v
Working file: atlas2/ged/primitives/nor2c/spice.1.1
head: 200.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.1
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:34:07; author: tom; state: Exp;
importing simple cmos structures from proteus

cd Mar 21-27 1995.log

```
=====
RCS file: /p/cvsroot/atlas2/ged/primitives/nor2c/spice_cn.1.1,v
working file: atlas2/ged/primitives/nor2c/spice_cn.1.1
head: 200.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.1
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
=====
```

```
revision 1.1
date: 1995/03/22 01:34:08; author: tom; state: Exp;
importing simple cmos structures from proteus
=====
```

```
=====
RCS file: /p/cvsroot/atlas2/ged/primitives/nor3c/BOM,v
working file: atlas2/ged/primitives/nor3c/BOM
head: 202.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 202.0
keyword substitution: kv
total revisions: 7;      selected revisions: 2
description:
releasebom adding BOM
=====
```

```
revision 2.0
date: 1995/03/22 01:53:32; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged
```

```
add primitives section
=====
```

```
revision 1.1
date: 1995/03/22 01:53:24; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
=====
RCS file: /p/cvsroot/atlas2/ged/primitives/nor3c/body.1.1,v
working file: atlas2/ged/primitives/nor3c/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 200.0
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
=====
```

```
revision 1.1
date: 1995/03/22 01:34:12; author: tom; state: Exp;
importing simple cmos structures from proteus
=====
```

```
=====
RCS file: /p/cvsroot/atlas2/ged/primitives/nor3c/spice.1.1,v
working file: atlas2/ged/primitives/nor3c/spice.1.1
head: 200.1
=====
```

cd Mar 21-27 1995.log

branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.1
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:34:13; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas2/ged/primitives/nor3c/spice_cn.1.1,v
working file: atlas2/ged/primitives/nor3c/spice_cn.1.1
head: 200.1
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.1
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/22 01:34:15; author: tom; state: Exp;
importing simple cmos structures from proteus
=====

RCS file: /p/cvsroot/atlas2/ged/xv/BOM,v
working file: atlas2/ged/xv/BOM
head: 212.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 212.0
keyword substitution: kv
total revisions: 348; selected revisions: 4
description:
releasebom adding BOM

revision 14.2
date: 1995/03/25 01:10:23; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xvff

change xvff to xvffq

revision 14.1
date: 1995/03/25 01:09:02; author: tom; state: Exp; lines: +5 -1
Release Target: atlas/ged/xv/xvffq

change xvff to xvffq

revision 14.0
date: 1995/03/24 20:13:29; author: brianl; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in
schematics for xv17andffq, xv17andlbn and xv17orlan.

cd Mar 21-27 1995.log

revision 13.1

date: 1995/03/24 20:13:22; author: brianl; state: Exp; lines: +4 -4
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas2/ged/xv/xv17andffq/Attic/BOM,v

working file: atlas2/ged/xv/xv17andffq/BOM

head: 201.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 19; selected revisions: 2

description:

releasebom adding BOM

revision 3.0

date: 1995/03/24 20:08:47; author: brianl; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Changed xvdla and xvd1b references to xvdlaq and xvd1bq, respectively, in
schematics for xv17andffq, xv17and1bn and xv17orlan.

revision 2.1

date: 1995/03/24 20:08:38; author: brianl; state: Exp; lines: +3 -3

releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas2/ged/xv/xv17andffq/Attic/spice.1.1,v

working file: atlas2/ged/xv/xv17andffq/spice.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 9; selected revisions: 1

description:

revision 1.2

date: 1995/03/24 19:45:39; author: brianl; state: Exp; lines: +2 -2

Changed xvdla and xvd1b references to xvdlaq and xvd1bq, respectively, in
schematics for xv17andffq, xv17and1bn and xv17orlan.

RCS file: /p/cvsroot/atlas2/ged/xv/xv17andffq/Attic/spice_cn.1.1,v

working file: atlas2/ged/xv/xv17andffq/spice_cn.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 9; selected revisions: 1

description:

revision 1.2

date: 1995/03/24 19:58:16; author: brianl; state: Exp; lines: +2 -2

Changed xvdla and xvd1b references to xvdlaq and xvd1bq, respectively, in
spice_cn.1.1 files for xv17andffq, xv17and1bn and xv17orlan.

cd Mar 21-27 1995.log
RCS file: /p/cvsroot/atlas2/ged/xv/xv17andlbn/Attic/BOM,v
working file: atlas2/ged/xv/xv17andlbn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 19; selected revisions: 2
description:
releasebom adding BOM

revision 3.0
date: 1995/03/24 20:09:06; author: brianl; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in
schematics for xv17andffq, xv17andlbn and xv17orlan.

revision 2.1
date: 1995/03/24 20:09:00; author: brianl; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

=====
RCS file: /p/cvsroot/atlas2/ged/xv/xv17andlbn/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv17andlbn/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 1.2
date: 1995/03/24 19:45:44; author: brianl; state: Exp; lines: +2 -2
Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in
schematics for xv17andffq, xv17andlbn and xv17orlan.

=====
RCS file: /p/cvsroot/atlas2/ged/xv/xv17andlbn/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv17andlbn/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 1.2
date: 1995/03/24 19:58:20; author: brianl; state: Exp; lines: +2 -2
Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in
spice_cn.1.1 files for xv17andffq, xv17andlbn and xv17orlan.

=====
RCS file: /p/cvsroot/atlas2/ged/xv/xv17orlan/Attic/BOM,v
working file: atlas2/ged/xv/xv17orlan/BOM
head: 201.0
branch:
locks: strict

cd Mar 21-27 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 23; selected revisions: 2
description:
releasebom adding BOM

revision 3.0
date: 1995/03/24 20:09:39; author: brianl; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in
schematics for xv17andffq, xv17andlbn and xv17orlan.

revision 2.1
date: 1995/03/24 20:09:32; author: brianl; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17orlan/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv17orlan/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 1.2
date: 1995/03/24 19:45:47; author: brianl; state: Exp; lines: +2 -2
Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in
schematics for xv17andffq, xv17andlbn and xv17orlan.

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17orlan/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv17orlan/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 1.2
date: 1995/03/24 19:58:22; author: brianl; state: Exp; lines: +2 -2
Changed xvdla and xvdlb references to xvdlaq and xvdlbq, respectively, in
spice_cn.1.1 files for xv17andffq, xv17andlbn and xv17orlan.

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffq/Attic/BOM,v
working file: atlas2/ged/xv/xvffq/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13; selected revisions: 2
description:

cd Mar 21-27 1995.log

releasebom adding BOM

revision 2.0

date: 1995/03/25 01:08:53; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv/xvffq

change xvff to xvffq

revision 1.1

date: 1995/03/25 01:08:45; author: tom; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffq/Attic/body.1.1,v

working file: atlas2/ged/xv/xvffq/body.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.1

date: 1995/03/25 01:08:15; author: tom; state: Exp;
change xvff to xvffq
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffq/Attic/body.2.1,v

working file: atlas2/ged/xv/xvffq/body.2.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.1

date: 1995/03/25 01:08:17; author: tom; state: Exp;
change xvff to xvffq
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffq/Attic/spice.1.1,v

working file: atlas2/ged/xv/xvffq/spice.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

revision 1.1

date: 1995/03/25 01:08:19; author: tom; state: Exp;
change xvff to xvffq
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffq/Attic/spice_cn.1.1,v

working file: atlas2/ged/xv/xvffq/spice_cn.1.1

cd Mar 21-27 1995.log

head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.1
date: 1995/03/25 01:08:21; author: tom; state: Exp;
change xvff to xvffq
=====

RCS file: /p/cvsroot/c_tests/plumhall/unixdst/defs.h,v
working file: c_tests/plumhall/unixdst/defs.h
head: 1.2
branch:
locks: strict
access list:
symbolic names:
 plumhall: 1.1.1.2
 plumhall5_0: 1.1.1.1
 PlumHall: 1.1.1
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 1.2
date: 1995/03/23 17:42:50; author: claseman; state: Exp; lines: +67 -51
include stddef.h ref to pr 2124
=====

RCS file: /p/cvsroot/calliope/BOM,v
working file: calliope/BOM
head: 4.170
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.170
keyword substitution: kv
total revisions: 460; selected revisions: 2
description:
Bill of materials.

revision 4.156
date: 1995/03/24 18:04:04; author: bobm; state: Exp; lines: +2 -2
Release Target: calliope/doc
 Makefile

Added a file.

revision 4.155
date: 1995/03/24 17:49:49; author: bobm; state: Exp; lines: +2 -2
Release Target: calliope/doc
 Makefile
 print.doc
 calliope-microarch.book
 front.mif
 calliope-microarchTOC.mif
 intro.mif

cd Mar 21-27 1995.log

memory.mif
function.mif
cerberus.mif

Version 1.0 of the Calliope Microarchitecture document.
Right now it includes mostly old information reformatted.
There are some Cerberus updates. Any help on updating
the rest of the information would be appreciated.

=====

RCS file: /p/cvsroot/calliope/doc/BOM,v
Working file: calliope/doc/BOM
head: 10.12
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 10.12
keyword substitution: kv
total revisions: 33; selected revisions: 2
description:
releasebom adding BOM

revision 10.4
date: 1995/03/24 18:03:51; author: bobm; state: Exp; lines: +2 -2
Release Target: calliope/doc
 Makefile

Added a file.

revision 10.3
date: 1995/03/24 17:49:35; author: bobm; state: Exp; lines: +34 -2
Release Target: calliope/doc
 Makefile
 print.doc
 calliope-microarch.book
 front.mif
 calliope-microarchTOC.mif
 intro.mif
 memory.mif
 function.mif
 cerberus.mif

Version 1.0 of the Calliope Microarchitecture document.
Right now it includes mostly old information reformatted.
There are some Cerberus updates. Any help on updating
the rest of the information would be appreciated.

=====

RCS file: /p/cvsroot/calliope/doc/Makefile,v
Working file: calliope/doc/Makefile
head: 10.7
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 10.7
keyword substitution: kv
total revisions: 7; selected revisions: 3
description:

cd Mar 21-27 1995.log

revision 10.3

date: 1995/03/24 18:13:23; author: bobm; state: Exp; lines: +3 -2
Added a change file for upcoming versions.

revision 10.2

date: 1995/03/24 18:03:14; author: bobm; state: Exp; lines: +2 -1
Forgot to add a file.

revision 10.1

date: 1995/03/21 21:08:38; author: bobm; state: Exp;
Built as a book.

=====

RCS file: /p/cvsroot/calliope/doc/calliope-microarch.book,v

working file: calliope/doc/calliope-microarch.book

head: 10.7

branch:

locks: strict

access list:

symbolic names:

b4_rich: 10.7

keyword substitution: kv

total revisions: 7; selected revisions: 3

description:

revision 10.4

date: 1995/03/24 18:13:25; author: bobm; state: Exp; lines: +7 -8
Added a change file for upcoming versions.

revision 10.3

date: 1995/03/24 01:51:22; author: bobm; state: Exp; lines: +8 -8
Version 1.0 of the Calliope MicroArchitecture document. It basically
includes the calliope.doc and addr_format.mif information. New updates
will be made next.

revision 10.2

date: 1995/03/21 21:08:40; author: bobm; state: Exp; lines: +18 -15
Built as a book.

=====

RCS file: /p/cvsroot/calliope/doc/calliope-microarchTOC.mif,v

working file: calliope/doc/calliope-microarchTOC.mif

head: 10.4

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 2

description:

revision 10.2

date: 1995/03/24 01:51:30; author: bobm; state: Exp; lines: +289 -5803
Version 1.0 of the Calliope MicroArchitecture document. It basically
includes the calliope.doc and addr_format.mif information. New updates
will be made next.

revision 10.1

date: 1995/03/21 21:08:42; author: bobm; state: Exp;
Built as a book.

cd Mar 21-27 1995.log

RCS file: /p/cvsroot/calliope/doc/cerberus.mif,v

working file: calliope/doc/cerberus.mif

head: 2.10

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 10; selected revisions: 3

description:

revision 2.9

date: 1995/03/24 17:16:15; author: bobm; state: Exp; lines: +45 -36

The rest of the version 1.0 files.

revision 2.8

date: 1995/03/22 18:34:54; author: bobm; state: Exp; lines: +44 -24

Capacitor count added to octlet 12.

revision 2.7

date: 1995/03/21 21:09:19; author: bobm; state: Exp; lines: +44 -35

Built as a book.

=====

RCS file: /p/cvsroot/calliope/doc/changes.mif,v

working file: calliope/doc/changes.mif

head: 10.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 10.1

date: 1995/03/24 18:13:28; author: bobm; state: Exp;

Added a change file for upcoming versions.

=====

RCS file: /p/cvsroot/calliope/doc/clock.mif,v

working file: calliope/doc/clock.mif

head: 10.5

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 5; selected revisions: 2

description:

revision 10.3

date: 1995/03/24 17:16:30; author: bobm; state: Exp; lines: +42 -42

The rest of the version 1.0 files.

revision 10.2

date: 1995/03/21 21:09:08; author: bobm; state: Exp; lines: +50 -88

Built as a book.

=====

RCS file: /p/cvsroot/calliope/doc/front.mif,v

working file: calliope/doc/front.mif

head: 10.7

cd Mar 21-27 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 3
description:

revision 10.4
date: 1995/03/24 01:51:26; author: bobm; state: Exp; lines: +26 -26
Version 1.0 of the Calliope MicroArchitecture document. It basically
includes the calliope.doc and addr_format.mif information. New updates
will be made next.

revision 10.3
date: 1995/03/22 18:35:14; author: bobm; state: Exp; lines: +26 -26
Capacitor count added to octlet 12.

revision 10.2
date: 1995/03/21 21:08:45; author: bobm; state: Exp; lines: +26 -26
Built as a book.

=====

RCS file: /p/cvsroot/calliope/doc/Attic/function.mif,v
Working file: calliope/doc/function.mif
head: 10.4
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 3
description:

revision 10.4
date: 1995/03/24 17:16:44; author: bobm; state: Exp; lines: +51821 -767
The rest of the version 1.0 files.

revision 10.3
date: 1995/03/21 21:08:56; author: bobm; state: Exp; lines: +46 -119
Built as a book.

revision 10.2
date: 1995/03/21 20:22:29; author: bobm; state: Exp; lines: +14759 -7055
Formatted the rest of the stolen stuff from calliope.doc.

=====

RCS file: /p/cvsroot/calliope/doc/intro.mif,v
Working file: calliope/doc/intro.mif
head: 10.5
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 2
description:

revision 10.3
date: 1995/03/24 01:51:34; author: bobm; state: Exp; lines: +20 -20
Version 1.0 of the Calliope MicroArchitecture document. It basically
includes the calliope.doc and addr_format.mif information. New updates
will be made next.

cd Mar 21-27 1995.log

revision 10.2
date: 1995/03/21 21:08:49; author: bobm; state: Exp; lines: +20 -20
Built as a book.
=====

RCS file: /p/cvsroot/calliope/doc/memory.mif,v
working file: calliope/doc/memory.mif
head: 10.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 10.1
date: 1995/03/24 01:51:43; author: bobm; state: Exp;
Version 1.0 of the Calliope MicroArchitecture document. It basically
includes the calliope.doc and addr_format.mif information. New updates
will be made next.
=====

RCS file: /p/cvsroot/calliope/doc/print.doc,v
working file: calliope/doc/print.doc
head: 10.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 10.1
date: 1995/03/21 21:09:35; author: bobm; state: Exp;
Built as a book.
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/Makefile,v
working file: calliope/verify/standalone/eq/Makefile
head: 1.26
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 26; selected revisions: 1
description:

revision 1.26
date: 1995/03/24 20:49:34; author: brian; state: Exp; lines: +5 -5
Commit modifications.
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/NOTES,v
working file: calliope/verify/standalone/eq/NOTES
head: 2.5
branch:
locks: strict
access list:
symbolic names:

cd Mar 21-27 1995.log

keyword substitution: kv

total revisions: 5; selected revisions: 1

description:

revision 2.5

date: 1995/03/24 20:49:36; author: brian; state: Exp; lines: +7 -0

Commit modifications.

=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/citones.mem,v

working file: calliope/verify/standalone/eq/citones.mem

head: 3.3

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 3.3

date: 1995/03/24 20:49:43; author: brian; state: Exp; lines: +184983 -183702

Commit modifications.

=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/diffimp.ref,v

working file: calliope/verify/standalone/eq/diffimp.ref

head: 2.2

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 2.2

date: 1995/03/25 00:23:25; author: brian; state: Exp; lines: +1 -1

Commit modifications.

=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/eq_drive.V,v

working file: calliope/verify/standalone/eq/eq_drive.V

head: 1.18

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 18; selected revisions: 1

description:

revision 1.18

date: 1995/03/25 00:23:27; author: brian; state: Exp; lines: +1 -1

Commit modifications.

=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/imp64.ref,v

working file: calliope/verify/standalone/eq/imp64.ref

head: 2.2

branch:

locks: strict

access list:

cd Mar 21-27 1995.log

symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 2.2
date: 1995/03/25 00:23:30; author: brian; state: Exp; lines: +1 -1
Commit modifications.
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/impulse.mem,v
working file: calliope/verify/standalone/eq/impulse.mem
head: 1.6
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.6
date: 1995/03/25 00:23:32; author: brian; state: Exp; lines: +49 -0
Commit modifications.
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/impulse.ref,v
working file: calliope/verify/standalone/eq/impulse.ref
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 2.2
date: 1995/03/25 00:23:35; author: brian; state: Exp; lines: +24 -0
Commit modifications.
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/maxcoef.ref,v
working file: calliope/verify/standalone/eq/maxcoef.ref
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 2.2
date: 1995/03/25 00:23:37; author: brian; state: Exp; lines: +1 -1
Commit modifications.
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/mkref,v
working file: calliope/verify/standalone/eq/mkref
head: 2.4
branch:
locks: strict

cd Mar 21-27 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 2.4
date: 1995/03/25 00:23:40; author: brian; state: Exp; lines: +6 -6
Commit modifications.

=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/negimp.ref,v
working file: calliope/verify/standalone/eq/negimp.ref
head: 2.2
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 2.2
date: 1995/03/25 00:23:42; author: brian; state: Exp; lines: +1 -1
Commit modifications.

=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/regress,v
working file: calliope/verify/standalone/eq/regress
head: 1.8
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 1.8
date: 1995/03/25 00:23:45; author: brian; state: Exp; lines: +6 -6
Commit modifications.

=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/sim_eq.v,v
working file: calliope/verify/standalone/eq/sim_eq.v
head: 1.12
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12; selected revisions: 1
description:

revision 1.12
date: 1995/03/25 00:23:49; author: brian; state: Exp; lines: +21 -29
Commit modifications.

=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/step64_10_3.mem,v
working file: calliope/verify/standalone/eq/step64_10_3.mem
head: 6.1
branch:

cd Mar 21-27 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 6.1
date: 1995/03/25 00:23:53; author: brian; state: Exp;
Commit modifications.

=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/step64_10_3.ref,v
Working file: calliope/verify/standalone/eq/step64_10_3.ref
head: 6.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 6.1
date: 1995/03/25 00:23:56; author: brian; state: Exp;
Commit modifications.

=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/step64_10_3_gen.c,v
Working file: calliope/verify/standalone/eq/step64_10_3_gen.c
head: 6.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 6.1
date: 1995/03/25 00:23:59; author: brian; state: Exp;
Commit modifications.

=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/step64_8_0.mem,v
Working file: calliope/verify/standalone/eq/step64_8_0.mem
head: 6.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 6.1
date: 1995/03/25 00:24:04; author: brian; state: Exp;
Commit modifications.

=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/step64_8_0.ref,v
Working file: calliope/verify/standalone/eq/step64_8_0.ref
head: 6.1

cd Mar 21-27 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 6.1
date: 1995/03/25 00:24:08; author: brian; state: Exp;
Commit modifications.
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/step64_8_0_gen.c,v
working file: calliope/verify/standalone/eq/step64_8_0_gen.c
head: 6.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 6.1
date: 1995/03/25 00:24:11; author: brian; state: Exp;
Commit modifications.
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/step64_8_3.mem,v
working file: calliope/verify/standalone/eq/step64_8_3.mem
head: 6.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 6.1
date: 1995/03/25 00:24:14; author: brian; state: Exp;
Commit modifications.
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/step64_8_3.ref,v
working file: calliope/verify/standalone/eq/step64_8_3.ref
head: 6.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 6.1
date: 1995/03/25 00:24:18; author: brian; state: Exp;
Commit modifications.
=====

RCS file: /p/cvsroot/calliope/verify/standalone/eq/step64_8_3_gen.c,v
working file: calliope/verify/standalone/eq/step64_8_3_gen.c

cd Mar 21-27 1995.log

head: 6.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 6.1

date: 1995/03/25 00:24:22; author: brian; state: Exp;

Commit modifications.

=====